

# PUBLIC AUCTION

**CORPORATE ASSETS INC**

**CAM TOOL & DIE LTD.**



**TOSHIBA SHIBAURA BP-130-R22, 5.1' CNC table type HBM**



**MITSUBISHI M-VS25A CNC bridge type vertical machining center**



**BLOW SE4-1200-180-84, straight side 4 point press**



**BLOW LE4-1600-240-108, straight side 4 point link motion press**

## MAJOR 2 DAY SALE!

**DATE**

**TIME**

**LOCATION**

Tuesday, June 16 &  
Wednesday, June 17, 2009

10:30 A.M.

**Addresses:**

**DAY 1:** 75 West Wilmot Street, Richmond Hill (Toronto), ON, L4B 1K1 Canada

**DAY 2:** 400 Harry Walker Parkway, Newmarket (Toronto), ON, L3Y 9E9 Canada

"Let Our Experience Be Your #1 Asset"™

**BID, BUY & GO!™  
LIVE WEBCAST**

2004



**LINK MOTION**

**BLOW** LE4-1600-240-108, straight side 4 point link motion press

**STRAIGHT SIDE PRESSES**

**BLOW** (2004), LE4-1600-240-108, straight side 4 point link motion press with 1600 ton cap., (2) 240" x 108" x 20"H front t back roll-in bolsters, 30" stroke, 62" shut height, 8-24 SPM, 20" adjustment, vibration isolation pad, 126"W windows, WINTRISS SMARTPAC2 control, SHADOW V light curtains, s/n E4L-1600-13-04 **(DAY 2)**

**BLOW** (2003), SE4-1200-180-84, straight side 4 point press with 1200 ton cap., (2) 180" x 84" x 20"H left to right roll-in bolsters, 24" stroke, 50" shut height, 10-30 SPM, 12" adjustment, 108"W windows, WINTRISS SMARTPAC control, light curtains, s/n E4D-1200-85-03 **(DAY 2)**



**WINTRISS SMARTPAC2**  
plc control



**2 AVAILABLE**

240" x 108" x 20" H front to back roll-in bolster

**BLOW** (2000), SE4-1200-180-84, straight side 4 point press with 1200 ton cap., (2) 180" x 84" x 20"H left to right roll-in bolsters, 24" stroke, 50" shut height, 10-30 SPM, 12" adjustment, vibration isolation pad, 98"W windows, WINTRISS SMARTPAC control, SHADOW V light curtains, s/n E4D-1200-66-00 **(DAY 2)**

**This brochure is only a partial listing. VISIT OUR WEBSITE FOR**

10-30 SPM

2000



BLOW SE4-1200-180-84, straight side 4 point press

(2) 180" x 84" x 20" ROLL IN BOLSTERS

2003



BLOW SE4-1200-180-84, straight side 4 point press

**MORE DETAILED LISTINGS AND PHOTOS [www.corpassets.com](http://www.corpassets.com)**

1998



85" WINDOWS

BLOW SE4-1200-180-84, straight side 4 point press

2001



15-30 SPM

BLOW SE4-1000-180-84 straight side 4 point press

### STRAIGHT SIDE PRESSES CONTINUED

**BLOW** (1998), SE4-1200-180-84, straight side 4 point press with 1200 ton cap., (2) 180" x 84" x 20"H left to right roll-in bolsters, 24" stroke, 45" shut height, 10-28 SPM, 12" adjustment, vibration isolation pad, 85"W windows, WINTRISS SMARTPAC control, SHADOW V light curtains, s/n E4D-1200-44-98 (DAY 2)

**BLOW** (2004), LE4-1000-180-96, straight side 4 point link motion press with 1000 ton cap., (2) 180" x 96" x 20"H left to right roll-in bolsters, 32" stroke, 65" shut height, 8-24 SPM, 20" adjustment, vibration isolation pad, 127" W windows, WINTRISS SMARTPAC2 control, SHADOW VII light curtains, s/n E4L-1000-12-04 (DAY 2)

**BLOW** (2001) SE4-1000-180-84 straight side 4 point press with 1000 ton cap., (2) 84" x 180" front to back roll in bolsters, 24" stroke, 50" shut height, 15-30 SPM, 12" adjustment, 84" x 52"H windows, SMARTPAC WINTRISS digital press control, SHADOW V light curtains, s/n E4D-1000-77-01 Location: **Richmond Hill (DAY 2)**

**BLOW** (2004), SC2-800-144-60, SSDC press with 800 ton cap., 144" x 60" bed, 18" stroke, 48" shut height, 20-40 SPM, 12" adjustment, vibration isolation pad, 60" x 45" windows, WINTRISS SMARTPAC2 control, SHADOW V light curtains, s/n SDG-800-582-04 (DAY 2)

**This brochure is only a partial listing. VISIT OUR WEBSITE FOR**

2004



LINK MOTION

BLOW LE4-1000-180-96, straight side 4 point link motion press

## STRAIGHT SIDE PRESSES CONTINUED

**BLOW** (2003), SC2-800-144-60, SSDC press with 800 ton cap., 144" x 60" bed, 18" stroke, 48" shut height, 20-40 SPM, 12" adjustment, vibration isolation pad, 60" x 45" windows, WINTRISS SMARTPAC2 control, SHADOW V light curtains, s/n SDG-800-572-03 **(DAY 2)**

**BLOW** (1996), SE2-800-144-72, SSDC press with 800 ton cap., 144" x 72" bed, 18" stroke, 45" shut height, 15-35 SPM, 15" adjustment, vibration isolation pad, 62" x 42" windows, WINTRISS SMARTPAC control, SHADOW V light curtains, s/n E2D-800-37-96 **(DAY 2)**

**BROWN BOGGS** SS2-600-108-54, SSDC press with 600 ton cap., 108" x 54" bed, 16" stroke, 36" shut height, 25-50 SPM, 12" adjustment, vibration isolation pad, 36" x 39"H windows, BROWN BOGGS 2-2DC-22-8 die cushion, GEMCO brake monitor, QUICK-LEARN tonnage monitor, SPECTRA light curtains s/n 88100 **(DAY 2)**

**BROWN BOGGS** SS2-400-96-48, SSDC press with 400 ton cap., 96" x 48" bed, 12" stroke, 40" shut height, 25-50 SPM, 10" adjustment, vibration isolation pad, 35" x 42"H windows, WINTRISS SMARTPAC2 control, SHADOW V light curtains s/n 87149 **(DAY 2)**

**BROWN BOGGS** SS2-400-96-54, SSDC press with 400 ton cap., 96" x 54" bed, 16" stroke, 36" shut height, 25-50 SPM, 10" adjustment, vibration isolation pad, 35" x 45"H windows, ECL control with ALLEN BRADLEY PANEL VIEW 550 PLC, GEMCO brake monitor, QUICK-LEARN tonnage monitor, light curtains s/n 87185 **(DAY 2)**

**ERFURT** straight side 4 point press with 1400 ton cap., 98" x 156" bed, 24" stroke, 72" shut height, 63" x 70"H windows, SHADOW VI light curtains, TOLEDO PRESSWATCH monitor, s/n n/a **Location: Richmond Hill (DAY 2)**

**ROVETTA** S4-880-132-84-LO straight side 4 point press with 880 ton cap., (2) 84" x 132" left to right roll in bolsters 32" stroke, 65" shut height, 20 SPM, 19.75" adjustment, 130 ton die cushion, 96"W windows, SHADOW V light curtains, s/n 2338 **Location: Richmond Hill (DAY 2)**

**ROVETTA** S4-700-132-84 700 straight side 4 point press with 700 ton cap., (2) ROVETTA 84" x 132" left to right roll in bolsters, 20" stroke, 51" shut height, 20 SPM, 10" adjustment, 86" x 72"H windows, SHADOW V light curtains, s/n 1589 **Location: Richmond Hill (DAY 2)**

**ROVETTA** SSDC press with 400 ton cap., 60" x 108" bed, 20" stroke, 55" shut height, 10" adjustment, 63" x 66"H windows, SHADOW V light curtains, 75 ton die cushion, s/n 1592 **Location: Richmond Hill (DAY 2)**

**CLEARING** SD-2200-96T SSDC press with 250 ton cap., 60" x 96" bed, 24" stroke, 36" shut height, 12 SPM, 6" adjustment, 36" x 26"H windows, SHADOW VI light curtains, die cushion, s/n 49-16537-P **Location: Richmond Hill (DAY 2)**

**BLISS** 7-72-42 SSDC press with 250 ton cap., 54" x 72" bed, 24" stroke, 29" shut height, 6" adjustment, 13" x 13" windows, SHADOW VI light curtains, s/n n/a **Location: Richmond Hill (DAY 2)**

**MORE DETAILED LISTINGS AND PHOTOS [www.corpassets.com](http://www.corpassets.com)**



**BLOW** SC2-800-144-60, SSDC press



**BLOW** SE2-800-144-72, SSDC press



**ERFURT** 1400 ton straight side 4 point press

## PRESS FEED EQUIPMENT

Feed Line Consisting of: **BARRIE WELDING & MACHINE** (2007), U72-50-11-2007 50,000 lb. X 72", mandrel type, traveling uncoiler with 72" max. coil dia., 19.5"- 25" ID, hold down roll, coil car w/ hydraulic lift, s/n 51292; **MECON** 500FSP721 (2004) 72" servo feeder with 7 roll straightener, INDRAMAT PLC control, s/n 2635N24 **(DAY 2)**

Feed Line Consisting of: **SESCO** 55-237 50,000 lb. X 60" mandrel type, traveling uncoiler with 72" max. coil dia., 22"- 28" ID, hold down roll, coil car w/ hydraulic lift, s/n 12866-1; **MECON** 500FSP721 (2004) 72" servo feeder with 7 roll straightener, INDRAMAT PLC control, s/n 263501 **(DAY 2)**

**COLT** (2004), SPACESAVER CSS-4000-60 integrated servo feed line consisting of: coil storage ramp, 40,000 lb. X 60" coil cradle, with 72" max. coil dia., individually adjusted hydraulic side plates, 72" 7 roll (6" roll dia.) straightener, 72" servo feeder w/ REXROTH/ INDRAMAT PLC control, s/n 1291019 **(DAY 2)**

**MECON** (2004), 400CSF601 integrated servo feed line consisting of: coil storage ramp, 40,000 lb. X 60" coil cradle, with 72" max. coil dia., 60" 7 roll straightener, 60" servo feeder w/ REXROTH/ INDRAMAT PLC control, s/n 3043N02 **(DAY 2)**

**MECON** (2004), 400CSF481 integrated servo feed line consisting of: coil storage ramp, 40,000 lb. X 48" coil cradle, with 72" max. coil dia., 48" 7 roll straightener, 48" servo feeder w/ REXROTH/ INDRAMAT PLC control, s/n 3043N01 **(DAY 2)**

**MECON** feed line consisting of: 200CCS42 coil cradle/straightener with 20,000 lb, X 42" cap., 7 roll straightener, entry & exit rolls, loop control arm, hold down roll, s/n CCS0496; F42 42" servo feeder with INDRAMAT PLC control, s/n 1009 **(DAY 2)**

**MECON** feed line consisting of: 200CCS36 coil cradle/straightener with 20,000 lb, X 36" cap., 7 roll straightener, entry & exit rolls, loop control arm, hold down roll, s/n2221-22; 400F36 36" servo feeder with INDRAMAT PLC control, s/n 2406-53 **(DAY 2)**

**MECON** feed line consisting of: 200CCS30 coil cradle/straightener with 20,000 lb, X 30" cap., 7 roll straightener, entry & exit rolls, loop control arm, hold down roll, s/n2221-29; 400F42 1HD 42" servo feeder with INDRAMAT PLC control, s/n 2406-79 **(DAY 2)**

**MECON** AF4 pneumatic feeder with 36" X 30" cap., s/n 910538 **(DAY 2)**

(2) **LINEAR TRANSFER SYSTEM** (2003), LTS TITAN SERIES, 3-axis through the window, side mounted transfer system with touch screen control, s/n J2003-00277, J2002-00250 **(DAY 2)**

(2) **LINEAR TRANSFER SYSTEM** (1999), LTS 3000 TITAN SERIES, 3-axis through the window, side mounted transfer system with touch screen control, s/n J1999-00187 **(DAY 2)**

**MECON** 250MDC60 uncoiler with 20,000 lbs. capacity x 60" max. coil width, s/n 209502 **(DAY 2)**

**MECON** 400MDC72 uncoiler with 30,000 lbs. capacity x 72" max coil width, s/n 2613-02 **(DAY 2)**

## 3 WAYS TO BID!

1. ATTEND! 2. BID BY WEBCAST! 3. BID BY PROXY!

LIVE WEBCAST BIDDING powered by



Please register online a minimum of 24 hours in advance to qualify to bid via webcast!

**This brochure is only a partial listing. VISIT OUR WEBSITE FOR**



880 TON

ROVETTA S4-880-132-84-LO straight side 4 point press



700 TON

ROVETTA S4-700-132-84 700 straight side 4 point press



400 TON

ROVETTA 400 TON SSDC press



600 TON

BROWN BOGGS SS2-600-108-54, SSDC press

**MORE DETAILED LISTINGS AND PHOTOS [www.corpassets.com](http://www.corpassets.com)**



**20,000 LB. x 60" x .205" CAP.**

MECON 200CCS-48-OA coil cradle/straightener



**2007**

**50,000 LB. x 72" CAP.**

BARRIE WELDING & MACHINE U72-50-11-2007 mandrel type, traveling uncoiler



**20,000 LB. x 36" CAP.**

MECON 200CCS36 coil cradle/straightener



**50,000 LB. x 60" CAP.**

SESCO 55-237 mandrel type, traveling uncoiler



**2004**

**40,000 LB. x 60" CAP.**

MECON 400CSF601 integrated servo feed line



**2004**

**40,000 LB. x 60" CAP.**

COLT SPACESAVER CSS-4000-60 integrated servo feed line



**2004**

**40,000 LB. x 48" CAP.**

MECON 400CSF481 integrated servo feed line



**40,000 LB. x 60" x .312" CAP.**

FEED LEASE FLCCD-6072-P40 coil cradle/straightener

**This brochure is only a partial listing. VISIT OUR WEBSITE FOR**



# Large Quantity of Late Model Press Feed Equipment Featuring:

**BARRIE WELDING & MACHINE,  
SESCO, COLT, MECON, FEED  
LEASE, and AIR FEEDS**

As new as 2007



**2004**

MECON 500FSP721 72" servo feeder



MECON 400FPS601, 60" servo feeder



MECON 400F36, 36" servo feeder



**2 AVAIL.**

**15,000 LB. CAP.**

COLT CHDR 1500 48 uncoiler

## PRESS FEED EQUIPMENT CONTINUED

**MECON 100MH40** uncoiler with 10,000 lbs. capacity x 40" max. coil width, s/n 108702 **(DAY 2)**

(2) **COLT CHDR10048** uncoilers with 10,000 lbs. capacity x 48" max. coil width, s/n 1201342, 133344 **(DAY 2)**

**FEED LEASE** feed line consisting of: FLCDD-6072-P40 coil cradle/straightener with 40000 lb. X 60" X .312" cap., 5 roll straightener, entry & exit rolls, overhead loop system, hydraulic tilting pinch rolls, s/n 4659; RF-8X60 60" servo feeder with .312" cap., UNI-OP PLC control, s/n 4658 **(DAY 2)**

**MECON** feed line consisting of: 200CCS-48-OA coil cradle straightener with 20000 lb. X 48" X .205" cap., 9 roll straightener, entry & exit rolls, loop control arm, hold down roll, s/n 2583N39; 500F48 1HD 48" servo feeder with .205" cap., REXROTH/INDRAMAT PLC control, s/n 2626N10 **(DAY 2)**

**MECON 400FPS601** 60" servo feeder with 7 roll straightener, s/n 2568-049 **(DAY 2)**

(2) **COLT CHDR 1500 48** uncoiler with 15,000 lb cap., 48" max coil width, 60" maximum O.D, s/n 1201344, n/a **(DAY 2)**

**AIR FEEDS AF5** 36" x 42" cap. pneumatic feeder with 7 roll straightener, s/n 880502 **(DAY 2)**

**AIR FEEDS AF2** 18" x 18" cap., pneumatic feeder, s/n 890332 **(DAY 2)**



**2003**

**4 AVAILABLE**

LINEAR TRANSFER SYSTEM LTS TITAN SERIES, 3-axis through the window, side mounted transfer system

### APPRAISAL SERVICES

What's the real value of your equipment? If you require a detailed appraisal for banking, insurance, or internal purposes, consult with the certified experts at Corporate Assets Inc. We provide appraisal services anywhere in the world for all types of industrial manufacturing and processing equipment.

Call us in complete confidence today with your requirements.

**(416) 962-9600 • appraisals@corpassets.com**

**MORE DETAILED LISTINGS AND PHOTOS [www.corpassets.com](http://www.corpassets.com)**



**TOSHIBA SHIBAURA BP-130-R22 5.1" CNC table type HBM**

**HORIZONTAL BORING MILLS**

**TOSHIBA SHIBAURA** (2003), BP-130-R22 5.1" CNC table type horizontal boring mill with TOSNUC 888 CNC control, 70.75" x 86.5" t-slot rotary table, travels: X-160" (table), Y-100" (vertical), Z-60" (longitudinal), W-28" (spindle), B axis 0.001 (table rotation), speeds 5-2500 rpm, CAT 50 taper, 38 station ATC, thru spindle coolant, 20 ton table weight capacity, remote pendant, chip conveyor, way covers, 40 hp, s/n 130329 **(DAY 1)**

**TOS** (1988), WHN138C 5.11" CNC table type horizontal boring mill with FANUC GN11 CNC control, 63" x 71" t-slot rotary table, travels: X-137" (table), Y-90" (vertical), Z-31.5" (spindle), W-60" (longitudinal), #50 taper, speeds 5-1500 rpm, way covers, coolant, 37 KW, s/n 03-26 **(DAY 1)**

**TOS** (1984), WHN138A 5.11" table type horizontal boring mill with OMNIMACH III control, 63" x 71" t-slot power rotary table, HEIDENHAIN 4 axis digital readouts, travels: X-137" (table), Y-80" (vertical), Z-31.5" (spindle), W-49" (longitudinal), #50 taper, speeds 12-800 rpm, way covers, coolant, pendant control, 38.2 KW, s/n 15-19 **(DAY 1)**

**TOS** (1984), WHN138A 5.11" table type horizontal boring mill with 63" x 71" t-slot power rotary table, HEIDENHAIN 4 axis digital readouts, travels: X-168" (table), Y-90" (head), Z-31.5" (spindle), W-60" (longitudinal), #50 taper, speeds 12-800 rpm, pendant control, way covers, coolant, 37.5 kw, s/n 15-17 **(DAY 1)**



View of 5.1" spindle and **TOSNUC 888 CNC control**



View of 38 station **ATC**

(2) **TOS** (1994), W100A 4" table type horizontal boring mill with 49.5" x 49.5" t-slot power rotary table, HEIDENHAIN 4 axis digital readouts, travels: X-63" (table), Y-44" (head), Z-35" (spindle), W-49" (longitudinal), spindle speeds 7.1-1120 RPM, facing head speeds 7.1-224 RPM, #50 taper, built-in facing head, 6600 lb table cap., 15 hp, s/n 3511, 3602 **(DAY 1)**

- (2) 23" x 67.5" angle plates **(DAY 1)**
- (2) 19.5" x 56.75" angle plates **(DAY 1)**
- (4) 19.5" x 57" angle plates **(DAY 1)**
- (4) 12.5" x 44" angle plates **(DAY 1)**

**This brochure is only a partial listing. VISIT OUR WEBSITE FOR**

**78.75" x 157.5" TABLE**



**MITSUBISHI M-VS25A** CNC bridge type vertical machining center

### CNC BRIDGE TYPE VERTICAL MACHINING CENTER

**MITSUBISHI** (1996), M-VS25A CNC bridge type vertical machining center with FANUC 18-M CNC control, 78.75" x 157.5" t-slot table, travels: X-165.54", Y-98.45", Z-72.87", CAT 50 taper, 24 station ATC, 55,000 lb. maximum table capacity, speeds to 4000 rpm, 99.5" between the columns, 35 hp, coolant, way covers, s/n 063490 **(DAY 1)**

### CNC MACHINING CENTERS

**OKK** (1998), MCV-1060 CNC vertical machining center with FANUC 16i-M CNC control, 41.75" x 98.25" t-slot table, travels: X-84.25", Y-41.73", Z-31.5", speeds to 6000 rpm, CAT 50, 40 ATC, coolant, s/n 132 **(DAY 1)**

(2) **MITSUBISHI** (1999), M-V70E-FM CNC vertical machining center with FANUC FM CNC control, 27.5" x 65" t-slot table, travels: X-49.2", Y-27.6", Z-25.6", speeds to 6000 rpm, CAT 50, 24 ATC, 35 hp, coolant, chip conveyor, s/n CV6364, s/n CV6359 **(DAY 1)**

(2) **TOS** (1997), MC100V CNC vertical machining center with HEIDENHAIN CNC control, 22 75" x 42.5" t-slot tables, travels: X-40", Y-24", Z-20", speeds to 8000 rpm, CAT 40, 40 ATC, coolant, s/n 56501006970018, 56501006970008 **(DAY 1)**

**SUPERMAX** (1999), V-65MA CNC vertical machining center with 16.5" x 33" t-slot table, travels: X-25.6", Y-16", Z-20", 770 lb table cap., 6000 rpm, CAT 40, 10 hp, 20 ATC, s/n 807010 **(DAY 1)**

(2) **KAFO** (1990), vertical machining center 1200 CNC vertical machining center with FANUC 12M CNC control, 43.5" x 120" t-slot table, CAT 50, 7" spindle adjustment, coolant, s/n 27004, n/a **(DAY 1)**

**OKUMA & HOWA** M-80V CNC vertical machining center with FANUC 16-M CNC control, 31.5" x 86" t-slot table, travels: X-71",



Partial view of angle plates

Y-32", Z-23.6", speeds to 3600 rpm, CAT 50, 30 ATC, chip auger, coolant, s/n 17365 **(DAY 1)**

**OKK** MHA800 CNC vertical machining center with OKK MIL CNC control, 32.75" x 114" t-slot table, travels: X-66", Y-32", Z-31", CAT 50, speeds to 3000 RPM, 6" spindle adjustment, chip auger, coolant, s/n 269 **(DAY 1)**

**OKUMA & HOWA** 7VS-NC CNC vertical machining center with FANUC 10M CNC control, 27.5" x 79" t-slot table, travels: X-50", Y-30", Z-24", speeds to 2500 RPM, CAT 50, coolant, s/n 07069 **(DAY 1)**

**HAMAI** 6V CNC vertical machining center with FANUC 9 CNC control 23.5" x 57" t-slot table, travels: X-41.37", Y-23.64", Z-21.67", 6" spindle adjustment, power drawbar, s/n n/a **(DAY 1)**

### CNC LASERS

**NTC** (1998), TLM-610CWST 5 axis 2200 watt CNC laser with TDLC-04R CNC control, 74.75" x 122" shuttle table, PRC-2200 laser, travels: X-122", Y-74.8", Z-31.5", C-± 7.8", A-± 7", 360° head rotation, 36" under the laser, 96" gantry travel, approx 26,000 HRS, KOOLANT KOOLERS chiller, s/n L500337 **(DAY 1)**

**MORE DETAILED LISTINGS AND PHOTOS [www.corpassets.com](http://www.corpassets.com)**



**FANUC CNC CONTROLS**

TOS WHN138C 5" CNC table type horizontal boring mill

**CNC LASERS CONTINUED**

**MITSUBISHI** (1991), 1212HB1 CNC laser with MITSUBISHI CNC control, 49.5" x 49.5" table, travels: X-49", Y-49", Z-3.9", MITSUBISHI MC3016F 1600 WATT laser resonator, s/n 1112HB1088 **(DAY 1)**

**ROBOTIC WELDING CELLS**

**AUTODYNE** dual robotic MIG welding cell consisting of (2) ABB IRB-2400, 6 axis welding robots s/n 0762R, 0764R, (2) MILLER AUTO INVISION II welders, (1) set wire feed, cables & gun, OSA-LATOR dial type indexing unit, safety enclosure w/ MICROGUARD light curtains, ALLEN BRADLEY PANEL VIEW 550 PLC control **(DAY 2)**

**AUTODYNE** dual robotic MIG welding cell consisting of (2) ABB IRB-2400, 6 axis welding robots s/n 2410241R, 2410241R, (2) MILLER AUTO INVISION II welders w/ wire feeds, cables & guns, OSA-LATOR dial type indexing unit, safety enclosure w/ MICROGUARD light curtains, ALLEN BRADLEY PANEL VIEW 550 PLC control **(DAY 2)**

**AUTODYNE** dual robotic MIG welding cell consisting of (2) ABB IRB-2000, 6 axis welding robots s/n 5315, 5351 (2) MILLER AUTO INVISION II welders, (2) MAWER ENC 100 100 KVA press type spot welders with 24" throats, MELDAS MEDWELD 200S controls s/n 3509011, n/a OSA-LATOR dial type indexing unit, safety enclosure w/ MICROGUARD light curtains, ALLEN BRADLEY PANEL VIEW 550 PLC control **(DAY 2)**

**AUTODYNE** robotic MIG welding cell consisting of ABB IRB-2000, 6 axis welding robot, s/n 5364R, MILLER AUTO INVISION II welder w/ wire feed, cables & gun, OSA-LATOR dial type indexing unit, safety enclosure w/ WINTRISS SHADOW V light curtains, ALLEN BRADLEY PANEL VIEW 550 PLC control **(DAY 2)**

**RADIAL ARM DRILLS**

(2) **MAS** (1991) VR84A 13.5' way type radial arm drills with 20 hp, 60" vertical travel, (2) 30" x 40" x 20" box tables, coolant, s/n 156271002, 156120110 **(DAY 1)**

**MAS** VR8A 8' way type radial arm drill with 16 hp, (2) 30" x 40" x 19.5" box tables, coolant, s/n 154170214 **(DAY 1)**

**MAS** VR6A 6' way type radial arm drill with 23" vertical travel, 30" x 40" x 20" box table, coolant, s/n 200 **(DAY 1)**

**MAS** (1997), V050, 5' way type radial arm drill with 9 hp, 2500 rpm, 30" x 40" x 20" box table, coolant, s/n 3711 **(DAY 1)**

**MAS** VR5A, 5' way type radial arm drill with 10 hp, 2500 rpm, 30" x 40" x 20" box table, coolant, s/n 22517 **(DAY 1)**

**EMA** FA42x11, 4' radial arm drill with 11" column dia., 1750 rpm, 24" x 19" x 30" box table, s/n **(DAY 1)**

**NARDINI** FRN-60, 4' radial arm drill with 14" column dia., 1450 rpm, 23" x 20" x 31.5" box table, coolant, s/n A8.HDR.956.T **(DAY 1)**



**63" x 70.75" ROTARY TABLE**

TOS WHN138A 5" table type horizontal boring mill

**This brochure is only a partial listing. VISIT OUR WEBSITE FOR**



**2 AVAILABLE**

TOS WHN138A 5" table type horizontal boring mill



**1994**

**RADIAL ARM DRILLS CONTINUED**

**EMA** 4' radial arm drill with 10" column dia., 1750 rpm, 24" x 30" x 20" box table, coolant, s/n n/a **(DAY 1)**

**KAO MING** (2004), KMR-700DS 2' radial arm drill with 7.5" column dia., 1500 rpm, 21" x 16" x 16" box table, power rise and fall, s/n R70791 **(DAY 1)**

**KAO-MING** (1985), KMR-1600 DH radial arm drill with 5' arm, 15" dia. column, 37" vertical travel, 1580 rpm, s/n 1850 **(DAY 2)**

**KAO-MING** (1995), KMR-700DS radial arm drill with 3' arm, 8" dia. column, 21" vertical travel, 1500 rpm, 21" x 16" x 10"H box table, s/n 70420 **(DAY 2)**

**KAO MING** (1997), KMR-700DS 2' radial arm drill with 7.5" column dia., 1500 rpm, 21" x 16" x 16" box table, power rise and fall, s/n 70601 **(DAY 1)**

**KAO MING** (1995), KMR-700DS 2' radial arm drill with 7.5" column dia., 1500 RPM, 21" x 16" x 16" box table, power rise and fall, s/n 70427 **(DAY 1)**

**2 AVAILABLE**

TOS W100A 4" table type horizontal boring mills

**MORE DETAILED LISTINGS AND PHOTOS [www.corpassets.com](http://www.corpassets.com)**



1998

41.75" x 98.25" TABLE

OKK MCV-1060 CNC vertical machining center



1999

2 AVAILABLE

27.5" x 65" TABLE

MITSUBISHI M-V70E-FM CNC vertical machining center



32.75" x 114" TABLE

OKK MHA800 CNC vertical machining center



1997

2 AVAILABLE

TOS MC100V CNC vertical machining center



2 AVAILABLE

KAFO VMC 1200 vertical machining center

**RADIAL ARM DRILLS CONTINUED**

**KAO MING** (1994), KMR-700DS 2' radial arm drill with 7.5" column dia., 1500 RPM, 21" x 16" x 16" box table, power rise and fall, s/n 70346 **(DAY 1)**

**KAO MING** (1993), KMR-700DS 2' radial arm drill with 7.5" column dia., 1500 RPM, 21" x 16" x 16" box table, power rise and fall, s/n 70326 **(DAY 1)**

**SURFACE GRINDERS**

**FORWARD** PSGS-2550AH hydraulic surface grinder with 6" x 18" magnetic chuck, s/n 502201 **(DAY 1)**

**CHEVALIER** FSG-1628AD hydraulic surface grinder with 16" x 28" magnetic chuck, 14" wheel dia., s/n G2847001 **(DAY 1)**

**This brochure is only a partial listing. VISIT OUR WEBSITE FOR**

1998



74.75" x 122" TABLE

NTC TLM-610CWST 5 axis 2200 watt CNC laser

27.5" x 79" TABLE



OKUMA & HOWA 7VS-NC CNC vertical machining center

1999



SUPERMAX YCM-V65MA CNC vertical machining center

### SURFACE GRINDERS CONTINUED

**BLANCHARD** 11CD-20 rotary surface grinder with 20" magnetic chuck, 11" height under wheel, 21.65" swing, 15 HP, 11" x 5" grinding wheel, s/n 1032

**JOTES** SAB 100W rotary surface grinder with 39.37" magnetic chuck, 18" height under wheel, 42" swing, 21" wheel diameter, 740 RPM, 40 HP, coolant, s/n NA (DAY 1)

(2) **CHEVALIER** FSG-3A1224H hydraulic surface grinders with 12" x 24" magnetic chuck, 9" wheel dia., s/n P386C008, P3820001 (DAY 1)

**HARIG** 618W manual surface grinder with 6" x 18" magnetic chuck, s/n 9016 (DAY 1)

(8) **CHEVALIER** FSG-618M manual surface grinders with 6" x 18" magnetic chuck, 6" wheel dia., s/n 43232, A3882055, A3882071, A3882050, A386C056, A3829005, A3829017, A3921030 (DAY 1)

**CHEVALIER** FSG-3A1224H, automatic, hydraulic surface grinder with 12" x 24" mag. chuck, 12" grinding wheel, wheel dresser, s/n P3855001 (DAY 2)

(3) **CHEVALIER** FSG-618M manual surface grinder with 6" x 18" mag. chuck, 6" grinding wheel, s/n A3938006, A386C002, A3937005 (DAY 2)

**BROWN & SHARPE** manual surface grinder with 6" x 12" mag. chuck, s/n 523-162-3075 (DAY 2)



MITSUBISHI 1212HB1 CNC laser

**MORE DETAILED LISTINGS AND PHOTOS [www.corpassets.com](http://www.corpassets.com)**

## 4 ROBOTIC MIG WELDING CELLS AVAILABLE



AUTODYNE dual robotic MIG welding cell



ORBITFORM orbital riveter



ABB IRB 2400 M94A 6 axis robot

BRAND NEW  
NEVER USED



150 KVA  
TAYLOR WINFIELD  
ERB-18 spot welder

(2) **KONDIS** 4VK vertical milling machines with 10" x 50" t-slot table, 3 HP, 2 axis DRO s/n 781872, n/a (DAY 1)

**EX-CELL-O** vertical milling machine with 10" x 50" t-slot table, 3 HP, 4200 rpm, s/n n/a (DAY 1)

(11) **EX-CELL-O** 602 vertical milling machines with 9" x 42" t-slot tables, 4000 rpm, 2 axis DRO, 2 hp, s/n 60210214, 60212144, 6029401, 60210439, 60212145, 60210815, 6029422, 60210805 (DAY 1)

**TOS** FA3AV vertical mill with 12" x 54" table, speeds to 2000 rpm, power feed, CAT 50, s/n 12469 (DAY 2)

**FIRST** LC-185VS vertical mill with 10" x 50" table, speeds to 4500 rpm, 3 hp, s/n 3100563 (DAY 2)

**EX-CELL-O** 602 vertical mill with 9" x 42" table, speeds to 4000 rpm, s/n 60211895 (DAY 2)

**POLAMCO** FVA-4/M vertical milling machine with 15.75" x 78.75" t-slot table, 1300 RPM, 50 taper, 15 HP, SONY 3 axis dro, pendant control, s/n 1443 (DAY 1)

## LATHES

**TOS** SN63B gap bed engine lathe with 26"/39" swing, 80" between centers, 12" 3 jaw chuck, 3" spindle bore, 1000 rpm, quick change tool post, coolant, s/n 63200860315 (DAY 1)

**PINACHO** L-1/180 gap bed engine lathe with 14"/22" swing, 40" between centers, 2000 rpm, 10" 3 jaw chuck, 1 3/4" spindle bore, coolant, s/n n/a (DAY 1)

**POREBA** TR-80x30M 31" x 118" gap bed engine lathe with 31.49"/42.51" swing, 118.11" between centers, 16,523 max weight between centers, 3.74" spindle bore, 1000 RPM, 24" 4 jaw chuck, dro, 25 HP, steady rest, s/n 1165-131 (DAY 1)

## SAWS

**BEHRINGER** HBP 500 horizontal saw with 22" x 27" capacity, pneumatic clamping, hydraulic power rise and fall, conveyor, s/n 185157 (DAY 1)

**KASTO** (1999), KASTOTWIN U4 horizontal saw with 20" x 24" cap., pneumatic clamping, coolant, s/n 64291001005 (DAY 1)

**RAM** 13" x 16" horizontal metal cutting band saw, s/n L08526 (DAY 1)

**DO-ALL** 3612-2H vertical band saw with 36" throat, blade welder and grinder, s/n 400-86226 (DAY 1)

**GROB** 4V-24 vertical band saw with 24" throat, blade welder, s/n 1944 (DAY 1)

**SPEEDCUT** MC 10-2 vertical band saw with 14" throat, s/n n/a (DAY 1)

**KM** vertical band saw with 14" throat, s/n n/a (DAY 1)



Partial view of welding equipment available



Partial view of welders available

## MILLING MACHINES

**TOS** FC63H bed type universal milling machine with 24.75" x 98" t-slot table, CAT 50, power feeds, pendant control, coolant, s/n 24334 (DAY 1)

**TOS** FC63V bed type universal milling machine with 24.75" x 98" t-slot table, CAT 50, power feeds, pendant control, coolant, s/n 46885 (DAY 1)

**TOS** vertical milling machine with 17.75" x 79" t-slot table, 26 hp, 1400 rpm, pendant control, s/n n/a (DAY 1)

**TOS** vertical milling machine with 12.5" x 70" t-slot table, 1400 rpm, pendant control, CAT 50, power travels, s/n n/a (DAY 1)

**TOS** FA4A-V vertical milling machine with 10" x 54" t-slot table, CAT 50, power travels, s/n 61412 (DAY 1)

**SAJO** APF-54 horizontal milling machine with 11" x 52" t-slot table, CAT 50, 1500 rpm, power travels, s/n 681391 (DAY 1)

(2) **FIRST** LC-185VS vertical milling machines with 10" x 50" t-slot table, 3 hp, 4500 rpm, s/n 10704687, 10704679 (DAY 1)

**This brochure is only a partial listing. VISIT OUR WEBSITE FOR**





8' ARM

MAS VR8A way type radial arm drill



6' ARM

MAS VR6A way type radial arm drill



1991

2 AVAILABLE

13.5' ARM

MAS VR84A way type radial arm drill



1997

MAS V050 5' way type radial arm drill



NARDINI FRN-60 4' radial arm drill



7 AVAILABLE  
NEW AS 2004

KAO MING KMR-700DS 2' radial arm drill

### EDMS

**HITACHI SEIKO** (1996), H-CUT 355RS/AWF wire EDM with MARK 10Wx2 control, 55" x 38" x 20" tank, travels; X-19.75", Y-13.75", Z-12.5", s/n D615096003 **(DAY 1)**

**HITACHI SEIKO** (1993), H-CUT 355RS/AWF ram type wire EDM with MARK 10Wx2 control, 30" x 39" x 22" tank, travels; X-24", Y-16", Z-16", s/n D422423001 **(DAY 1)**

**FINE SODICK** (1992), FS-1100W wire EDM with MARK 21 control, 35" x 60" table, travels; X-27.55" Y-43.3", Z-19.68", max. work piece 70" x 51" x 19", s/n S1100LY035 **(DAY 1)**

**FINE SODICK** (1990), FS-1100W wire EDM with MARK 21 control, 35" x 60" table, travels; X-27.55" Y-43.3", Z-19.68", max. work piece 70" x 51" x 19", s/n S1100LY022 **(DAY 1)**

**FINE SODICK** (1990), FS-800L wire EDM with MARK XI EDW control, 24" x 41" table, travels; X-19.68" Y-31.49", Z-12.4", s/n S-800-N128 **(DAY 1)**

**ARISTECH** (1999), LS-650 ram type EDM with 87" x 45" x 28" tank, 35" x 55" t-slot table, travels: X-43", Y-27", Z-17.7", ARISTECH CNC control, 8800 lb. max table cap., s/n 99071373 **(DAY 1)**

(2) **JIAN SHENG** (1996), NC-909N/120A ram type EDM with 98" x 45.3" x 29.5" tank, 31.5" x 66.9" t-slot table, travels: X-70.9", Y-27.5", Z-17.7", NC PULSE CNC control, 13,200 lb. max table cap., s/n BC9865NC **(DAY 1)**



MAS VR5A 5' way type radial arm drill

**MORE DETAILED LISTINGS AND PHOTOS [www.corpassets.com](http://www.corpassets.com)**



**OVER 20 AVAILABLE**

Partial view of vertical milling machines



**20"/39" x 80"**

TOS SN63B gap bed engine lathe



**2 AVAILABLE**

TOS FC63H bed type universal milling machine



TOS universal milling machines



>  
TOS SN63B gap bed engine lathe



BLANCHARD 20 rotary surface grinder



POLAMCO vertical milling machine



**2 AVAIL.**

JIAN SHENG NC909 EDM



JOTES SAB 100W rotary surface grinder

**This brochure is only a partial listing. VISIT OUR WEBSITE FOR**



CHEVALIER FSG-1628AD hydraulic surface grinder



CHEVALIER FSG-3A1224H hydraulic surface grinder

**2 AVAILABLE**



CHEVALIER FSG-618M manual surface grinders

**11 AVAILABLE**

**BID, BUY & GO!™  
LIVE WEBCAST**



FINE SODICK FS-1100W wire EDM

**1992**

**8 EDM'S AVAIL.**



ARISTECH LS650 ram type EDM

**1999**



KASTO KASTOTWIN U4 horizontal saw

**1998**



BEHRINGER HBP 500 horizontal saw

**MORE DETAILED LISTINGS AND PHOTOS [www.corpassets.com](http://www.corpassets.com)**



**30 TON** **2004**  
MUNCK 30 ton double girder top running bridge crane



**10 TON - 2 AVAILABLE**  
MUNCK 10 ton double girder underslung bridge crane



**25 TON** **2004**  
MUNCK 25 ton double girder top running bridge crane



**10 TON**  
KONE 10 ton single girder underslung bridge crane




**25 TON** **2003**  
MUNCK 25 ton double girder top running bridge crane



**10 TON**  
KONE 10 ton single girder underslung bridge crane



**20/10 TON** **2003**  
MUNCK 20/10 ton double girder top running bridge crane



**5 AVAILABLE**  
KONE 5 ton electric hoists



**2 AVAILABLE**  
BISON 40,000LB c-hook



**20/10 TON - 2 AVAILABLE** **2002**  
MUNCK 20/10 ton double girder top running bridge crane

**MATERIAL HANDLING**

MUNCK (2004), 30 ton double girder top running bridge crane with 43.5' span, 30 ton under slung hoist, pendant control, s/n 04-3341 (DAY 2)

MUNCK (2004), 25 ton double girder top running bridge crane with 43.5' span, 25 ton under slung hoist, pendant control, s/n 04-3408 (DAY 2)

MUNCK (2003), 25 ton double girder top running bridge crane with 43.5' span, 25 ton under slung hoist, pendant control, s/n 03-3283 (DAY 2)

MUNCK (2003), 25 ton double girder top running bridge crane with 43.5' span, 25 ton underslung hoist, pendant control, s/n 03-3284 (DAY 2)

MUNCK (2003), 20/10 ton double girder top running bridge crane with 31' span, 20 ton underslung main hoist with 10 ton auxiliary hoist, pendant control, s/n 03-3282 (DAY 2)

(2) MUNCK (2002) double girder top running bridge cranes with 25' span, 20 ton main hoist, 10 ton auxiliary hoist, pendant control, s/n 02-3203, 02-3204 (DAY 2)

KONE 20 ton double girder top running bridge crane with 37' span, XL 400 hoist, pendant control, s/n n/a (DAY 2)

KONE 20 ton double girder top running bridge crane with 26' span, pendant control, s/n n/a (DAY 2)

KONE 20 ton double girder top running bridge crane with 27.5' span, pendant control (DAY 2)

KONE 15 ton single girder underslung bridge crane with 37' span, XL 400 hoist, pendant control, s/n n/a (DAY 2)

(2) MUNCK 10 ton double girder underslung bridge cranes with 37' span, pendant control, s/n 86-1184, 86-1185 (DAY 2)

KONE 10 ton single girder underslung bridge crane with 27.5' span, pendant control (DAY 2)

KONE 10 ton single girder underslung bridge crane with 37' span, XL 400 hoist, pendant control (DAY 2)

(5) KONE 5 ton electric hoists with electric trolleys, s/n n/a (DAY 2)



**20 TON**  
KONE 20 ton double girder top running bridge crane



**20 TON**  
KONE 20 ton double girder top running bridge crane



**20 TON**  
KONE 20 ton double girder top running bridge crane

**This brochure is only a partial listing. VISIT OUR WEBSITE FOR**



1998

DEA SCIROCCO CMM




BROWN & SHARPE XCEL 9-15-9 gantry CMM



2000

INTERNATIONAL NAVISTAR cube van



MITUTOYO PH-350 optical comparator



UNITED LCH-20 vertical tensile tester



2007

BUEHLER abrasive saw



1995

FORD cube van



2000

VOLVO VNL660 tractor



2000

DODGE RAM 3500 pickup



1998

FORD TAURUS car



1996

STOUGHTON 53' box trailer



1999

TRANSCRAFT flat bed trailer

MORE DETAILED LISTINGS AND PHOTOS [www.corpassets.com](http://www.corpassets.com)

## 5 AIR COMPRESSORS UP TO 125 HP



Partial view of air compressors and dryers

## 2 AVAILABLE



### HYDRAULIC SIDE SHIFT AND FORK EXPANSION

APACHE MA400AHT 40,000 lb capacity LPG forklift



CATERPILLAR T150D and TOYOTA 35 7FGCU35 forklifts



Partial view of rolling stock



Partial view of floor scrubbers and lift platforms



JOHN DEERE 310E back hoe/loader

## MATERIAL HANDLING CONTINUED

**KONE** 1 ton electric hoist with electric trolley (**DAY 2**); (2) **KONE** XN10 2 ton electric hoist with electric trolley (**DAY 2**); **KONE** 3.2 ton electric hoist with electric trolley (**DAY 2**); (2) **APACHE** MA400AHT LPG forklifts with 40,000 lbs. lifting cap., side shift, s/n n/a (**DAY 2**); **CATERPILLAR** T150D 15,000 lb. LPG forklift with side shift, 202" max reach, solid tires, s/n 5MB01579 (**DAY 1**); **TITAN** F180 LPG forklift with 18,000 lbs. lifting cap., s/n na (**DAY 2**); (2) **TOYOTA** 35 7FGCU35, LGP forklifts with 7,250 lbs. lifting cap., 187" vertical lift, side shift s/n 62800, s/n 62933 (**DAY 2**); **JOHN DEERE** 310E back hoe/loader with 4,009 hrs, VIN T0310EX890900 (**DAY 2**); **BOBCAT** 863 with 3,640 hrs vin # n/a (**DAY 2**); **BISON** (2007), CCS-5065-28 coil hook with 50,000 lbs. capacity, s/n 7034619 (**DAY 2**)

**This brochure is only a partial listing. VISIT OUR WEBSITE FOR**



MAYFRAN scrap removal system with shuffle drive

2 SYSTEMS AVAILABLE



Partial view of chain mesh belt washers



Partial view of office furniture



Partial view of tote bins



Partial view of parts conveyors



HP DESIGNJET 5000 plotter



METTLER TOLEDO JAGJTGA 40 ton truck scale



Partial view of saw horses

## SCRAP RECOVERY SYSTEM

**MAYFRAN** scrap removal system with shuffle drive, speeds from 60cm/min to 20ft/min, horizontal travel, 322ft total with approx. 14ft sections, consisting of 24"-48" width conveyors, goosenecks, hinges, oscillating motorized chute, s/n C03B-844 (DAY 2); **MAYFRAN** scrap removal system with consisting of 36" width conveyors, approx. 220ft, goosenecks, hinges, oscillating motorized chute (DAY 2)

## INSPECTION

**DEA** (1998), SCIROCCO CMM with 46" x 90" x 12" granite table, RENISHAW PH9 probe, 44" between the columns, 39" under the rail, computer, s/n 1510091038 (DAY 1); **BROWN & SHARPE** XCEL 9-15-9 gantry CMM with RENISHAW PH10MQ probe, travels: X-59.1", Y-35.4", Z-33.5" (ram), 43" between gantry, 35" under the rail, 51" x 86.5" x 8"H granite plate, s/n 1097-2471 (DAY 2); **MITUTOYO** PH-350 optical comparator with 13" screen, 2 axis DRO, s/n n/a (DAY 1); **UNITED** LCH-20 vertical tensile tester, s/n 1291433 (DAY 2); **BUEHLER** (2007), abrasive saw with enclosure, s/n 641-EDS-00361 (DAY 2)

## ROLLING STOCK

**FORD** (2000), cube van, VIN 1FDWE35F8YHB37819 (DAY 2); **STOUGHTON** (1996), 53' box trailer with air ride suspension, dual axle, VIN 1DW1A5329VS090315 (DAY 2); **TRANSCRAFT** (1999), flat bed trailer with super beam dual axle, VIN 1TTH48203X2004444 (DAY 2); **VOLVO** (2000), VNL660 tractor with sleeper cab, VIN 4V4ND49H9YN252300 (DAY 1); **DODGE** (2001), RAM 3500 pickup with dual axle, MEYER snow plow, MP-8 salt unit, VIN 1B7MF33W21J243967 (DAY 1); **INTERNATIONAL** (1995), NAVISTAR cube van, VIN 1HTSHAR6SH697542 (DAY 1); **FORD** (1998), TAURUS car, VIN 1FAFP52U5WG256465 (DAY 1)

## AIR COMPRESSORS

(3) **COMPAIR** 6100AL 100 HP rotary screw air compressors, s/n BL017-2317, BL017-2317, C11A7325D1807 (DAY 1); **COMPAIR** 6125WL rotary screw air compressor with 125 hp, s/n AL017-1734 (DAY 2); **COMPAIR** 6100AH, rotary screw air compressor with 100 hp, s/n C11A1050H2602 (DAY 2); **THOMPSON GORDON** TG750 refrigerated air dryer with 825 SCFM, s/n 8301 (DAY 2); **MOTIVAIR** (2000) ICE515 refrigerated air dryer with 515 SCFM, s/n 516 (DAY 2); **DRY AIR** EDS4303 air dryer, s/n 1100706690 (DAY 1)

MORE DETAILED LISTINGS AND PHOTOS [www.corpassets.com](http://www.corpassets.com)

## FACTORY EQUIPMENT

**SKYJACK** 6S-10 electric scissor lift with 40" x 90" expandable platform, 550 lb. cap., s/n 0065-10-001 (DAY 1); **JLG** N40 electric platform lift with 40' extension, 500 lbs. load cap., s/n 015588030020506 (DAY 2); **JLG** (1998), 39969-5 scissor lift, s/n 0200043660 (DAY 2); **JLG** (1998), N40 electric platform lift with 500 lb. max cap., 40' vertical reach, 20.5' horizontal reach, s/n 058222-0300033797 (DAY 1); **MURPHY** (1999), 15 hp dust collector, s/n 990762 (DAY 1); **HOBART** ARC MASTER 501 digital MIG welder with wire feeder, s/n 295WS09659 (DAY 1); **MILLER** DELTA-FAB 500 amp MIG welder with wire feed, s/n LE181035 (DAY 2); **MILLER** DELTA-FAB 500 amp MIG welder with wire feed, s/n LC691668 (DAY 2); **CANOX** MIGMATIC 250 amp MIG welder, s/n KD482861 (DAY 2); **HYPERTHERM** POWERMAX 1000 welder (DAY 2); **TAYLOR WINFIELD** ERB-18 spot welder with 18" throat, 75/150 KVA, MAWER MEDWELD 200S control, s/n 5068 (DAY 2); (3) **BLUE GIANT** P62-15 electric lift truck with 1500 lb. cap., s/n 9520034, 8620033, n/a (DAY 1); **CANOX** C-SW351 digital TIG welder with chiller, s/n KH536368 (DAY 1); **CANOX** C-DW300 MIG welder with wire feeder, s/n KE642208 (DAY 1); **TENNANT** 220 LPG floor sweeper, s/n 3061 (DAY 1); **KEETONA** 9' x .1" mechanical shear with squaring arm, s/n C88331 (DAY 1); **CLARKE** ENCORE L electric floor scrubber, s/n n/a (DAY 1); **SUNNEN** MBB-1660K honing machine, s/n 82633 (DAY 1); **DECKEL** SO single lip cutter grinder with 4" dia. cup wheel, 5/8" cap., 45° max. grinding angle, 4500 rpm, s/n 85-22571 (DAY 1); **ALEXANDER** 2CG tool and cutter grinder, s/n 2492N (DAY 1); **ADVANCE** (2003), HR 2800 electric floor scrubber, s/n 172624 (DAY 1); **METTLER TOLEDO** (2001), JAGJTGA 40 ton truck scale with 11' x 18' scale platform, METTLER RS621 digital readout, s/n 5196484-5CC (DAY 1); **BISON** (2001), CCS 4060-21 4000 lb. capacity C-hook, s/n 293895 (DAY 1); **ABB** IRB90S/S2.M91, 6 axis pick and place robot with controls, s/n 1106 (DAY 1); **DL** 24" chain mesh belt parts washer, s/n 1985 (DAY 2); **JRI** 24" chain mesh belt parts washer, s/n n/a (DAY 2); (2) **INTERCONT** 24" chain mesh belt parts washers, s/n n/a (DAY 2); **OFFICE** (DAY 1 & 2) Executive desks, credenzas, computers, plotters, cabinets, drafting boards, board room furniture and more.

### PROXY BIDDING

If you are unable to attend this auction, we would be pleased to act as your proxy. Please contact our office at (416) 962-9600 or visit our website for a proxy bid form, terms and additional information.

[www.corpassets.com](http://www.corpassets.com)

## AUCTION DETAILS

### INSPECTION

Monday, June 15, 2009 from 9:00 A.M. to 5:00 P.M. and morning of auction day.

### REMOVAL

Small items by Thursday, June 18, 2008 by 5:00 P.M.  
Remaining items by Wednesday, July 15, 2009 by 5:00 P.M.

### DIRECTIONS

Visit our website at [www.corpassets.com](http://www.corpassets.com), click on Upcoming Auctions: Cam Tool & Die Ltd. button, click on Map tab and get directions by accessing the pop up address info box.

### ACCOMMODATIONS & CAR RENTALS

Please visit our website for details at [www.corpassets.com](http://www.corpassets.com)

### PAYMENT

Please visit our website for details at [www.corpassets.com](http://www.corpassets.com)  
A Buyer's Premium will apply at this sale.

We Accept



Visit our website for specific terms and conditions.

### TERMS

Corporate Assets Inc. assumes no liability for errors or omissions in this brochure. Corporate Assets Inc. expressly reserves the right to determine the manner of conducting the auction as it may deem appropriate. All subject to prior sale.

All auctions are

ONSITE

&

BID, BUY & GO!<sup>™</sup>  
LIVE WEBCAST

## UPCOMING AUCTIONS

New auctions added to our website regularly!

LIVE WEBCAST powered by

BID, BUY & GO!<sup>™</sup>  
LIVE WEBCAST

### 2 AUCTIONS SAME DAY!

#### FOREX FITTINGS & FLANGES INC.

Mississauga, ON, Canada  
Thursday, May 28 • 10:30 A.M. EST  
**DOMINION POWER PRESS EQUIPMENT**  
Burlington (Toronto), ON, Canada  
Thursday, May 28 • 2:00 P.M. EST

#### Surplus Assets to the Ongoing Needs of CAN-AM METAL CUTTERS INC.

Metal Tube & Bar Processing Facility  
Windsor, ON, Canada  
Wednesday, June 10  
10:30 A.M. EST


#### Surplus Assets to the Ongoing Needs of AC CAMBRIDGE

Plastic Injection Molding Facility  
Cambridge (Toronto), ON, Canada  
Thursday, June 11  
10:30 A.M. EST

#### FK PETERSON TOOL MFG. CO.

Late Model Laser, Fabricating &  
Stamping Facility  
Oakville, ON, Canada  
Wednesday, June 24  
10:30 A.M. EST

MEMBER IN  
GOOD STANDING



**CORPORATE  
ASSETS INC**

**CORPORATE ASSETS INC.**

P.O. Box 20071

Portland, Oregon 97294-0071