

PUBLIC AUCTION

GBM RIVET & FASTENERS INC.









DATE

TIME

LOCATION

Tuesday, July 14, 2009 10:30 A.M.

120 Rodinea Road, Maple (Toronto), Ontario, Canada L6A 1R5



NATIONAL #89 2 die 3 blow cold header



ASAHI OKUMA RH 80 2 die 3 blow cold header

COLD HEADERS

NATIONAL (1988), #89 2 die 3 blow cold header with 9/16" max dia. 6" max blank length, 100 PPM, IAC, s/n 40379

NAKASHIMADA (2005), MTS-308A 3 die 3 blow cold header with 10 mm max dia., 75 mm max shank length, 270 PPM, bushing cutoff, linear feed, PKO, s/n 050004

(2) **ASAHI OKUMA** (1988), RH 80 2 die 3 blow cold headers, with 10 mm max dia., 65 mm max cut off length, 150 PPM, s/n RH 80-5-1-015, RH80-2-003 (1986)

NAKASHIMADA (1999), NP81 2 die 3 blow cold header with 9.5 mm max dia., 80 mm max shank length, 50 - 160 PPM, DM monitor, s/n 990036

(3) **ASAHI OKUMA** (1990), RH 60 2 die 3 blow cold headers with 8 mm max cut off dia., 55 mm max cut off length, 200 PPM, s/n RH60-3-013, RH60-015 (1987), ARC-02-005 (1986)

LIAN SHYANG (2005), LS-C-NF-14B6LS nut former with 16 mm max dia., 10 mm max cutoff length, 260 PPM, s/n F0140642

(2) **NATIONAL** (1979), #68 DSSD high speed, medium stroke, cold headers, with 3/8" max dia. alloy, 3" max shank length, 200 PPM, IAC, s/n 34976, 34978

SAKAMURA S-340 3 die progressive cold header with 12.7 mm max dia., 101 mm max KO length, 150 PPM, s/n 30045

JERN YAO (1997), JNP-10B5S 5 die part former with 10 mm cut off length, 45 mm shank length, 150 PPM, PKO, s/n 001

HILGELAND (1984), CF2AZ 2 die 3 blow cold header 10 mm max dia., high tensile, 80 mm max shank length, 92 mm max cutoff length, 150 PPM, bushing cutoff, PKO, convertible feature, trimming, s/n 7310

(2) ITAMI (Rebuilt 2002), NST-6 1 die 2 blow high speed cold header with 6 mm max dia. 35 mm max shank length, 300 PPM, s/n 567406312, 0622

(2) **ASAHI OKUMA** (1987), A0T 10B 2 die 2 blow cold header with 10 mm max dia., 80 mm max cut off length, 76 mm max length, 200 PPM, s/n T-10B-33-212, T-10B-25-187 (1985)

ITAMI (1985), PH-10 2 die 3 blow high speed cold header, with 10 mm max dia., 101 mm max cutoff length, 130 mm max first die KO, 80" max second die KO, 70 -100 PPM, s/n 1000B

(2) **NATIONAL** 5/16" DSSD high speed cold headers, with .3125" max dia. 1.5" max shank length, 260 PPM, s/n 32960, 32852

NATIONAL #61 DSSD high speed, medium stroke, cold header, with .6 mm max dia. 52 mm shank length, 400 PPM, s/n 29145

ITAMI UHS-10 1 die 2 blow high speed cold header with 10 mm max dia. 80 mm max shank length, 150 PPM, s/n 1008L

YOSHHARA G5LL reheader with 16 mm max shank dia., 60 mm max kickout stroke, 240 mm crank stroke, 35 PPM, 60 tons forging pressure, s/n 4138



NAKASHIMADA MTS-308A 3 die 3 blow cold header



ASAHI OKUMA RH 80 2 die 3 blow cold header



NAKASHIMADA NP81 2 die 3 blow cold header



Inspect Parts
BEFORE DUMPING
ON NOT OWNIGHT

ASAHI OKUMA RH 60 2 die 3 blow cold header

ASAHI OKUMA RH 60 2 die 3 blow cold header



ASAHI OKUMA RH 60 2 die 3 blow cold header



LIAN SHYANG LS-C-NF-14B6LS nut former

COLD HEADERS CONTINUED

(2) **ITAMI** (1985), HT-8 2 die 2 blow high speed cold header, with 8 mm max dia. 50 mm max shank length, 250 PPM, s/n 08018, 08019

ITAMI (1984), HT-6 2 die 2 blow high speed cold header .250" max dia., 2" max cutoff length, 1 3/8" max shank length, 300 PPM, s/n 530610L

FIDE (1983), E 23 M 12 2 die 3 blow cold header with .50" max dia., 4" max cut off length, 90 PPM, s/n 557

NAKASHIMADA (1981), TH2-5A 2 die 2 blow cold header with 4.8 mm max dia., 60 mm max shank length, 230 PPM, s/n 81005

(4) **ITAMI** (1972), UHS-8 DSSD high speed cold header with 8 mm max dia., 50 mm max shank length, 220 PPM, 0816, 0806, 0801, n/a

(2) **ITAMI** (1979), NST-6 1 die 2 blow high speed cold header with 6 mm max dia., 35 mm max shank length, 220 PPM, s/n 0624, 0608

NATIONAL 3/8" 1 die 1 blow cold header, with .375" max dia., 2.75" max blank length, 160 PPM, s/n 18644

HARTFORD 5-250 DSSD cold header with .3125" max dia., 2" max shank length, 250 PPM, bushing cutoff, linear feed, PKO, s/n 5500/120/3

HARTFORD 5-450 1 die 1 blow cold ball header with .354" max dia., .5" max ball dia., 450 PPM, s/n 5500/12

HARTFORD 5-400 1 die 1 blow cold ball header with .3125" max dia., s/n 6R-12

NATIONAL (1978), 56 HSMS high speed medium stroke DSSD cold header, with .3125" max dia., 2.5" max shank length, 250 PPM, s/n 34857

PROXY BIDDING

If you are unable to attend this auction, we would be pleased to act as your proxy. Please contact our office at (416) 962-9600 or visit our website for a proxy bid form, terms and additional information.

www.corpassets.com



NATIONAL #68 DSSD high speed, medium stroke, cold header



NATIONAL #68 DSSD high speed, medium stroke, cold header



SAKAMURA S-340 3 die progressive cold header



JERN YAO JNP-10B5S 5 die part former

THREAD ROLLERS

HARTFORD/NATIONAL 30-180V thread roller with .62" max dia., 4.5" max thread length, 6" max shank length, 90-180 PPM, ACE 200 PLUS monitor, bowl feeder, discharge conveyor, s/n 20434

(2) **SASPI** (1997), GV2- thread rollers with 3.5~mm-8~mm shank dia., 80 mm max shank length, ACE 200 PLUS monitors, bowl feeders, discharge conveyors, s/n 676, 734

WARREN WT 20 thread roller .375" max dia., 6" blank length, 400 PPM infeed,(2) elevators (2) bowl feeders, discharge conveyor, s/n n/a

SANMEI (1992),THI-12R thread roller with 12 mm max dia., 50 mm max. thread length, bowl feeder, discharge conveyor, s/n RE9207013

TANISAKA (1999), TSR10-400 HL thread roller with .375" max dia., 3" max thread length, 4" max shank length, 200-400 PPM ACE 200 PLUS monitor, bowl feeder, discharge conveyor, s/n 3635139

(2) **SANMEI** THI-10R thread roller with 8 mm max dia., 50 mm max. thread length, elevator, bowl feeder, discharge conveyor, s/n RD 8523, RD7811

WARREN WT 10B thread roller .3125" max dia., 4" blank length, 400 PPM bowl feeder, discharge conveyor, s/n n/a

(2) **HARTFORD** 10-400 thread rollers with .375" max dia., 3" max thread length, 4" max shank length, 200-400 PPM, ACE RUD monitors, bowl feeders, discharge conveyors, s/n H00693220, 10-400-R-35-343-5

TANISAKA/HARTFORD (1986), 10-400 thread roller with .375" max dia., 3" max thread length, 4" max shank length, 200-400 PPM vibratory ACE 200 PLUS monitor, bowl feeder, discharge conveyor, s/n 350202

SANMEI (1998), THI-R875 thread roller with 8 mm max dia., 50 mm max. thread length, bowl feeder, discharge conveyor, s/n RC9712027

SANMEI THI-R875 thread roller with 6 mm max dia., 30 mm max. thread length, bowl feeder, discharge conveyor, s/n n/a

SASPI GV-1 thread roller with 2.5 mm – 6 mm shank dia., 60 mm max shank length, s/n GBM 149

CHUN ZU DPR-8L thread roller with 8 mm max dia., 100 mm shank length, 50 mm thread length, 150 PPM, bowl feeder, s/n 80524-5

(2) WATERBURY #10 planetary thread rollers, .250" max dia., 2" shank length, 600 PPM max., s/n 220413, S0I79283

WATERBURY #20 thread roller .375" max dia., 3" thread length, 125 PPM, s/n n/a

ROBERTSON/HARTFORD 4-500 thread roller with .250" max dia., 3" max shank length, 250-500 PPM, ACE 200 PLUS monitor, bowl feeder, discharge conveyor, s/n n/a

CHUN ZU DPR-5 thread roller with 5 mm max dia., 38 mm shank length, 25 mm thread length, 300 PPM, bowl feeder, discharge conveyor, s/n 82052



HILGELAND CF2AZ 2 die 3 blow cold header



ITAMI NST-6 1 die 2 blow high speed cold header



ITAMI NST-6 1 die 2 blow high speed cold header



YOSHHARA G5LL reheader



FIDE E 23 M 12 2 die 3 blow cold header

THREAD ROLLERS CONTINUED

(2) **EW MENN** GW 62 thread roller with .3125" max dia., 1.75" max thread length, bowl feeders, s/n 10-92, n/a

SOMAVIS (1971), F2 thread roller, s/n 102214

SIMA (1975), F-1 thread roller, s/n 102007

UNITAPPING (2005), CTY14 dual head automatic tapping machine, s/n 05058

POINTERS/SHAVERS

L&M 15 high speed pointer/shaver with ALLEN BRADLEY PLC control, M4 to M24 dia. 250mm max length, 300 PPM

TOWA TO-4A pointer/shaver with 15-152.46 mm length, 19 mm max shank dia., 40 mm chuck opening, vibratory bowl feeder, s/n 96083

(3) **TOWA** (1991), TO-3A pointer/shaver with 10-101.6 mm length, 16 mm max shank dia., 30 mm chuck opening, vibratory bowl feeder, s/n 91123 91065, 89080



ASAHI OKUMA AOT 10B 2 die 2 blow cold header



ASAHI OKUMA AOT 10B 2 die 2 blow cold header



ITAMI PH-10 2 die 3 blow high speed cold header



ITAMI UHS-8 DSSD high speed cold header



ITAMI HT-8 2 die 2 blow high speed cold header



HARTFORD 5-450 1 die 1 blow cold ball header HARTFORD 5-250 DSSD cold header



APPRAISAL SERVICES

What's the real value of your equipment? If you require a detailed appraisal for banking, insurance, or internal purposes, consult with the certified experts at Corporate Assets Inc. We provide appraisal services anywhere in the world for all types of industrial manufacturing and processing equipment. Call us in complete confidence today with your requirements.

(416) 962-9600 • appraisals@corpassets.com



HARTFORD/NATIONAL 30-180V thread roller



SASPI GV2- thread roller

POINTERS/SHAVERS CONTINUED

(2) **RONCONI** (2001), pointer/shavers, s/n 982, 9701

HILGELAND (1985), PN4B automatic pointing and rounding machine with 12 mm max dia., 130 mm max shank length, 160 PPM, s/n 7347

(2) **RORSCHACH** F-A3 pointer/shavers with .472" max dia., 5.512" max thread length s/n 388, 371

(2) **HP TOWNSEND** #2 shavers with .50" max. dia., 3" max blank length, s/n 78702-1, 78702-2

WATERBURY #1 trimmer, 1/4" dia. x 2" length, 130 PPM, s/n n/a



SASPI GV2- thread roller

WIRE DRAWERS

RMG 89/2017/67 wire drawer with 36" capstan, .50" max dia., 12,500 lbs. drawing force, s/n 88072020

RMG 89/10220/68 wire drawer with 36" capstan, .50" max dia., 12,500 lbs. drawing force, s/n 95113750

RMG 89/2071/67 wire drawer with 36" capstan, .50" max dia., 12,500 lbs. drawing force, s/n 86021441

 \mathbf{RMG} 89/2066/67 wire drawer with 36" capstan, .50" max dia., 12,500 lbs. drawing force, s/n 96114044

RMG 78/1060/85 wire drawer with 28" capstan, .4375" max dia., 7500 lbs. drawing force, s/n 85101396

RMG 67/0750/85 wire drawer with 28" capstan, .375" max dia., 7500 lbs. drawing force, s/n 87011696

RMG 67/1061/85 wire drawer with 28" capstan, .375" max dia., 7500 lbs. drawing force, s/n 87081815

RMG 67/1549/20 wire drawer with 28" capstan, .375" max dia., 7500 lbs. drawing force, s/n 802315

RMG 67/0540/05 wire drawer with 28" capstan, .375" max dia., 7500 lbs. drawing force, s/n 711130

RMG 67/0534/01 wire drawer with 28" capstan, .375" max dia., 7500 lbs. drawing force, s/n 04508

(2) **RMG** 67/0750/85 wire drawer with 28" capstan, .375" max dia., 7500 lbs. drawing force, s/n 87111859, 87111860

RMG 67/1575/67 wire drawer with 28" capstan, .375" max dia., 7500 lbs. drawing force, s/n 93013004

 $RMG\ 67/1549/20$ wire drawer with 28" capstan, .375" max dia., 7500 lbs. drawing force, s/n 802134

FASTENERS ENGINEERS DTM/07/28 wire drawer with 28" capstan, .375" max dia., s/n 108415919

FASTENERS ENGINEERS DTV A-2070-28 wire drawer with 28" capstan, .375" max dia., s/n 119817859

FASTENERS ENGINEERS DTH1520/185/2811 wire drawer with 28" capstan, .375" max dia., s/n 5763235

FASTENERS ENGINEERS DTV A/0790124 wire drawer with 24" capstan, .3125" max dia., s/n 899180 14



WARREN WT 20 thread roller



SANMEI THI-12R thread roller



TANISAKA TSR10-400 HL thread roller



SANMEI 10-300 thread reader



SANMEI THI-10R thread roller



SANMEI THI-10R thread roller



WARREN WT 10B thread roller

3 WAYS TO BID!

I.ATTEND! 2.BID BY WEBCAST! 3.BID BY PROXY!

LIVE WEBCAST BIDDING powered by

BID, BUY & GO!™ LIVE WEBCAST

Please register online a minimum of 24 hours in advance to qualify to bid via webcast!

WIRE DRAWERS CONTINUED

RMG 56/0567-85 wire drawer with 24" capstan, .3125" max dia., 5000 lbs. drawing force, s/n 86041494

 \mathbf{RMG} 56/20103-67 wire drawer with 24" capstan, .3125" max dia., 5000 lbs. drawing force, s/n 88112088

RMG 56/20220/20 wire drawer with 24" capstan, .3125" max dia., 5000 lbs. drawing force, s/n 83091009

(2) RMG 56/1060/01 wire drawer with 24" capstan, .3125" max dia., 5000 lbs. drawing force, s/n 84051107, 85021275

(2) **RMG** 45/0564/01 wire drawer with 20" capstan, .250" max dia., 800 lbs. drawing force, s/n 03518, 206763

(2) **RMG** 45/0550/64 wire drawer with 20" capstan, .250" max dia., 800 lbs. drawing force, s/n 88092084, 88112089

 $\mathbf{RMG}\ 34/00250$ wire drawer with 20" capstan, .1875" max dia., 3000 lbs. drawing force, s/n 70359

 $RMG\ 34/0341\text{-}87$ wire drawer with 20" capstan, .1875" max dia., 3000 lbs. drawing force, s/n 0101566

RMG 34 wire drawer with 20" capstan, .1875" max dia., 3000 lbs. drawing force, s/n n/a

 \mathbf{RMG} 34/0285-75 wire drawer with 20" capstan, .250" max dia., 3000 lbs. drawing force, s/n 87011660

 \mathbf{RMG} 34/0360-03 wire drawer with 20" capstan, .1875" max dia., 3000 lbs. drawing force, s/n 70245

PVC VALU DRAW GD72363RC wire drawer with .314" max dia., s/n 92173234 **TECHNO IMPIANTI** SKP/12 wire drawer, s/n 01017



HARTFORD 10-400 thread roller



TANISAKA/HARTFORD 10-400 thread roller



SANMEI THI-R875 thread roller



SASPI GV-1 thread roller



CHUN ZU DPR-8L thread roller



WATERBURY #10 planetary thread roller



WATERBURY #20 thread roller



ROBERTSON/HARTFORD 4-500 thread roller



CHUN ZU DPR-5 thread roller

SORTERS

(2) **CHAMPS** (2002), SLZ 350-84 automatic part sorting/inspection machines with PLC control, vibratory hoppers, elevators, rotary, 3 camera, optical inspection stations, automatic discharges, 8000-50,000 pcs/hr, s/n 277, 306

WARREN roller sorter with pneumatic hopper, elevator, s/n 12917

(4) CUSTOM automated part sorting/inspection machines with PLC controls bowl feeders, discharge, s/n n/a

WASHERS

ACME FAB (1994), gas fired, 2 stage rotary drum washer with 30" dia. drum, 2,100,000 BTU/hr cap., 325 gallon wash tank, 325 gallon rinse tank, s/n 95314

MANOR rotary drum washer, s/n n/a ALMCO parts degeaser, s/n n/a



L&M 15 high speed pointer/shaver




TOWA TO-4A pointer/shaver



TOWA TO-3A pointer/shaver



RONCONI pointer/shaver



RONCONI pointer/shaver



HILGELAND PN4B automatic pointing and rounding machine



RORSCHACH F-A3 pointer/shaver



HP TOWNSEND 2 pointer/shaver



WATERBURY #1 trimmer

SPARE PARTS INVENTORY

LARGE QUANTITY OF SPARE PARTS AND ACCESSORIES FOR FASTENER EQUIPMENT

MACHINE SHOP

OMNITURN SERIES III GT-75 2 axis CNC turning centre, with OMNITURN control, 1-1/16" round collet capacity, 6" x 12" gang tool slide, 4" longitudinal travel of tool slide, speeds to 4000 RPM, s/n 3572G35AHB

JSEDM (2001), CNC EA600L sinker type EDM with JS 60A control 27.6" \times 15.7" table, travels; X-15.7", Y-11.8", 11.8", 43" \times 23" \times 15.7" tank, 3300 lb. max table load, 12.6"- 24.4" worktable to spindle nose, s/n EC1608-21

XERMAC XP10 sinker type EDM, s/n n/a

TOS SN50B gap bed engine lathe with 20"/30" swing, 84" between centers, 2" spindle bore, speeds to 2000 RPM, taper turning, inch/metric threading, coolant & chip pan, ACCURITE 2 axis DRO chucks, s/n 05015801514

PRATT & WHITNEY 20" x 32" engine lathe with 2" bore, speeds to 1000 RPM, threading, s/n n/a

MORE DETAILED LISTINGS AND PHOTOS www.corpassets.com



RMG 89 1/2" wire drawer



RMG 67 3/8" wire drawer



RMG 56 5/16" wire drawer



RMG 45 1/4" wire drawer



RMG 34 3/16" wire drawer



DTI 43 3/8" wire drawer



SPARE PARTS INVENTORY



SPARE PARTS INVENTORY

PROXY BIDDING

If you are unable to attend this auction, we would be pleased to act as your proxy. Please contact our office at (416) 962-9600 or visit our website for a proxy bid form, terms and additional information.

www.corpassets.com



CHAMPS SLZ 350-84 automatic part sorting/inspection machine



CHAMPS SLZ 350-84 automatic part sorting/inspection machine



ACME FAB gas fired, 2 stage rotary drum washer



WARREN roller sorter



Automatic sorting station



Automatic sorting station



Automatic sorting station



turning centre





OSO FV 30 CNC vertical milling machine



ADEPT 133 table top robot



JAKOBSEN 6" x 18" hydraulic surface grinder



SUNNEN MBB 1660 honing machine



HARDINGE & FEELER precision tool room lathes



STANKO 5KHV vertical milling machine



MACHINE SHOP CONTINUED

COLCHESTER MASTER 2500 engine lathe with 12" swing, 48" between centers, 1.6" spindle bore, speeds to 2500 RPM, inch/metric threading, coolant & chip pan, s/n 5/0004/11341

JHS CYTURN L16-40 gap bed engine lathe with 16/24" swing, 40" between centers, 2" spindle bore, speeds to 2000 RPM, inch/metric threading, taper turning, coolant & chip pan, s/n 8905 1083

HARDINGE HLV-H 11" x 18" precision tool room lathe with speeds to 3000 RPM, s/n 1597

FEELER FTL-618E 11" x 18" precision tool room lathe with speeds to 2955 RPM, s/n 86378

HOLBROOK MINOR 10" x 20" toolroom lathe with speeds to 3000 RPM, threading, s/n n/a

OSO (1999), FV 30 CNC vertical milling machine with HEIDENHAIN control, 12" x 48" table, s/n 20300285

STANKO 5KHV vertical milling machine with 10" x 54" table, speeds to 4200 RPM, power table feeds, FAGOR 2 axis DRO, s/n TY970750

DELTA CK VM 1 1/2 TM turret mill with 9" x 42" table, speeds to 3200 RPM, power table feed, s/n 749980

KENT KGS 818AHD 8" x 18" hydraulic surface grinder, s/n 87050301

JAKOBSEN 6" x 18" hydraulic surface grinder, s/n 1755

JONES & SHIPMAN 540 6" x 18" hydraulic surface grinder, s/n n/a

FORWARD 618 manual surface grinder, s/n 04

ACER SUPRA 618 manual surface grinder, s/n 9611164A

KENT KGS 200 6" x 18" manual surface grinder, s/n 860-151-17

FORWARD (1998), U2 tool grinder, s/n 1202

SUNNEN MBB 1660 honing machine with 6.5" max dia., 16" max length, s/n 1V1-94997

PRESSVIT T100 4 post hydraulic hobbing press, s/n 19117

PRESSVIT 150 ton hydraulic press, s/n 200585

TRION FRED-C1-3 media air cleaner, s/n C130D-99-00178

ADEPT 133 table top robot, s/n 13303221

WELLS V12 horizontal band saw, s/n n/a

STRANDS E30 gear head drill, s/n 69932

METASERVE cutoff saw

BUEHLER SAMPLMET cut off, s/n n/a

CAROLINA 50 ton hydraulic shop press, s/n 58549

AUCTION CONDUCTED BY CORPORATE ASSETS INC.

For further information contact us at: 2 St. Clair Ave. W., Suite 1002, Toronto, Ontario, Canada M4V 1L5 Tel: (416) 962-9600 • Fax: (416) 962-9601 • Email: info@corpassets.com • Web: www.corpassets.com

Toronto • Montreal • Chicago

This brochure is only a partial listing. VISIT OUR WEBSITE FOR



TOS SN50B gap bed engine lathe



COLCHESTER MASTER 2500 engine lathe



KENT & FORWARD surface grinders



PRESSVIT T100 4 post hydraulic hobbing press




JHS CYTURN L16-40 gap bed engine lathe



MICRO-VU SPECTRA 14" optical comparator



NIKON V12 optical comparator



SHADOWMASTER 24" optical comparator



UNITED TRUE BLUE digital hardness tester



STARRET digital hardness tester



BROWN & SHARPE PROFILE 30 non contact measuring system



UNITED 20,000 lb. tensile tester



MITUTOYO TM 101 tool makers microscope

PACKAGING LINES

BULK PACKAGING LINE consisting of: WEPACKIT 720XL box maker with conveyor, s/n 1782, IMAN computerised scale/filler with hopper & feed, SIGNODE UCF20-1 carton sealer mezzanine, s/n Z0S05678

BULK PACKAGING LINE consisting of: hydraulic tilting bin, accumulation hopper, vibratory feed conveyor, weigh hopper & load cell, POWELL automatic scale, exit belt conveyor

INSPECTION

UNITED TRUE BLUE digital hardness tester, s/n 85107

STARRET digital hardness tester, s/n 85107

BROWN & SHARPE PROFILE 30 non contact measuring system, s/n 39011103

SHADOWMASTER 24" optical comparator with MITUTOYO DRO, s/n n/a MICRO-VU SPECTRA 14" optical comparator with MICRO-VU DRO, s/n n/a

NIKON V12 optical comarator with NIKON DRO, s/n n/a

UNITED OMNIGRAPHIC tensile tester with 20,000 lb. cap., s/n DB2857 **MITUTOYO** TM 101 tool makers microscope, s/n 30702

ALSO: Assorted surface plates, guages, and measuring instruments

FACTORY EQUIPMENT

SULLAIR 12B-H50 50 hp rotary screw air compressor, s/n 03364820

(5) **COMPARE** 218 PAUS 50 hp HYDROVANE air compressors, s/n C23A2214H001983, C23A3317H002044, C23A1271F001878, n/a

AIRTECH SC 500 air dryer, s/n 95-5764J

(2) MAC AIR air dryers, s/n n/a

SMC air dryer, s/n n/a

BROWN & SHARPE 2G 1 $\frac{1}{2}$ " single spindle automatic screw machine, s/n 542 2592

MULLER 2201 automatic pallet wrapper, s/n B8970900

HONDA HT3810 riding lawnmower

ALSO: Assorted smoke collectors & dust extractors, adjustable pallet racking, large quatity of bins and totes, work benches, parts tumblers, bowl feeders, parts conveyors, wire stands, etc.

PROXY BIDDING

If you are unable to attend this auction, we would be pleased to act as your proxy. Please contact our office at (416) 962-9600 or visit our website for a proxy bid form, terms and additional information.

www.corpassets.com



COMPARE 218 PAUS 50 hp HYDROVANE



SULLAIR 12B-H50 50 hp rotary screw air compressor



AIRTECH SC 500 air dryer



MAC & SCM air dryers





Large assortment of tote bins available



MULLER 2201 automatic pallet wrapper



MATERIAL HANDLING

CATERPILLAR GC 25 LPG forklitfs with 4700 lb. cap., 188" vertical lift, s/n AT82C 01876 RAYMOND 21R30TT electric reach truck with 3000 lb. cap., 216" vertical lift, battery & charger, s/n 0218601811

CATERPILLAR NRR30 electric reachtruck with 3000 lb. cap., 215" vertical lift, battery & charger, s/n 2NL5801

DODGE (1994), RAM 3500 flatbed truck, VIN 166MC36C6RS663400

DODGE RAM 3500 flatbed truck

ONSITE

View of forklifts

All auctions are

UPCOMING AUCTIONSNew auctions added to our website regularly!

LIVE WEBCAST powered by

BID, BUY & GO!™ LIVE WEBCAST

F.K. PETERSON TOOL MFG. CO. Late Model Laser, Fabricating & Stamping Facility
Oakville, ON, Canada Wednesday, June 24 10:00 A.M. EST

Surplus to the Ongoing Needs of **TECHNOLOGIES 2000** Tool and Die and Custom Machining Facility Kitchener, ON, Canada Thursday, June 25 10:30 A.M. EST

Surplus to the Ongoing Needs of **K & S TECH. SERVICES INC.** CNC Tools & Presses Brampton, ON, Canada July 2009 10:30 A.M. EST

Surplus to the Ongoing Needs of **ANDERSON-COOK, INC.** Late Model CNC Tools & Related Equipment Chesterfield, Michigan, USA September 2009 10:30 A.M. EST





































MEMBER IN **GOOD STANDING**

 \odot



(









































CORPORATE ASSETS INC

CORPORATE ASSETS INC.

P.O. Box 20071 Portland, Oregon 97294-0071



We offer the convenience of

3 Ways To Bid!

- Bid in Person
- Bid via Webcast
- Bid by Proxy

Discover the ease of bidding with our

LIVE WEBCAST!

This feature gives you the ability to bid live by webcast from the convenience of your telephone from anywhere in the world! Visit our website for details.

Please register a minimum of 24 hours in advance to qualify to bid.



www.corpassets.com

Live Webcast bidding powered by

BID, BUY & GO!™ LIVE WEBCAST

AUCTION DETAILS

INSPECTION

Monday, July 13, 2009 from 9:00 A.M. to 5:00 P.M. and morning of auction day.

REMOVAL

Small items by Wednesday, July 15, 2009 by 5:00 P.M.

Remaining items by Thursday, July 30, 2009 by 5:00 P.M.

NO EXCEPTIONS - NO EXTENSIONS.

DIRECTIONS

Visit our website at **www.corpassets.com**, click on Upcoming Auctions: GBM Rivet & Fasteners Inc. button, click on Map tab and get directions by accessing the pop up address info box.

ACCOMMODATIONS & CAR RENTALS

Please visit our website for details at

www.corpassets.com

PAYMENT

Please visit our website for details at www.corpassets.com

A Buyer's Premium will apply at this sale.

We Accept







Visit our website for specific terms and conditions.

TERMS

Corporate Assets Inc. assumes no liability for errors or omissions in this brochure. Corporate Assets Inc. expressly reserves the right to determine the manner of conducting the auction as it may deem appropriate. All subject to prior sale.

APPRAISAL SERVICES

What's the real value of your equipment? If you require a detailed appraisal for banking, insurance, or internal purposes, consult with the certified experts at Corporate Assets Inc. We provide appraisal services anywhere in the world for all types of industrial manufacturing and processing equipment.

- We will appraise one machine or your complete plant
- Going Concern, Fair Market or Liquidation Values

Call us in complete confidence today with your requirements.

Phone: (416) 962-9600 Fax: (416) 962-9601

Email: appraisals@corpassets.com

AUCTION CONDUCTED BY CORPORATE ASSETS INC.

For further information contact us at:
2 St. Clair Ave. W., Suite 1002
Toronto, Ontario, Canada M4V 1L5
Tel: (416) 962-9600 • Fax: (416) 962-9601
Email: info@corpassets.com
Web: www.corpassets.com

Toronto • Montreal • Chicago