LIVE & WEBCAST AUCTION DUE TO PLANT CLOSURE COMPLETE ALUMINUM EXTRUSION FACILITY FORMERLY EXTRUDING PIPE & SHAPES



WYKO CASAM II WS 107 PS 10-ROLL STRAIGHTENER, S/N WS4949



RUESCH 6-ROLL 2-PLANE ROLL STRAIGHTENER



TURNER CASAM WSI04 IO-ROLL STRAIGHTENER



KONE 5-TON OVERHEAD DOUBLE-HOOK BRIDGE CRANE

THURSDAY, OCTOBER 4 AT IO:00 A.M. (EDT)HYDRO ALUMINUM
NORTH AMERICAAlso by
Negotiation Only!
(2) Aluminum Oil Hydraulic
Extrusion Presses

9 Aluminum Drive, Ellenville, New York 12428



FOR ADDITIONAL INFORMATION CONTACT Susie Springer (410) 654-7500, ext. 234, Fax: 410-654-5876 or email susiespringer@goindustry.com



K.O. LEE CI3A CYLINDRICAL GRINDER, S/N 28775



OLIVER AUTOSAW 6, MDL. 2094



DESPATCH ANNEALING HEAT TREAT OVENS



CROWN 8.000-LB. ELECTRIC PALLET LIFT



MONARCH EE LATHE

ROLL **STRAIGHTENERS**

WYKO Casam II WS 107 PS 10-Roll Straightener, 120mm Max. OD. s/n WS4949. New 1990

TURNER CASAM WS104 10-Roll Straightener, s/n W280, New 1999

RUESCH 6-Roll 2-Plane Roll Straightener, 4-1/2" Max. OD

BLISS Mack-Hemp 6-Roll Straightener, 3/4"–1-1/4" Dia., 1 Set of Spare Rolls

BLISS Mack-Hemp 6-Roll Straightener, 1"-2-1/4" Dia., 1 Set

BLISS Mack-Hemp 6-Roll Straightener, 3/8"-1" Dia., 1 Set of

SHOP EQUIPMENT

MONARCH EE Lathe, 12.5" Swing, 10" x 30" Bed, s/n 47028

K.O. LEE CI3A Cylindrical Grinder, s/n 28775

FAMCO 3 I/2R Manual Arbor Press

KOMEL Sandblaster

PARKER Majestic Die Grinder **DELTA Drill Press**





FENN ROTARY POINTER/SWAGER, MDL. 6F

SAWS

OLIVER Autosaw 2, Material Height 5", Infeed Conveyor 20', Mdl. 2094, s/n 300383

OLIVER Autosaw 6, Material Height 5", Infeed Conveyor 42', Mdl. 2094, s/n 204344

OLIVER Saw, Bed 19", Max. Height 3-1/2"

OVENS

GERREF Annealing Heat Treat Oven, s/n 10203-195, 9.5" x 9'2" x 34', 775 Deg. Max. Temp.

(6) **DESPATCH** Annealing Heat Treat Ovens, Electric, 850 Deg. Max. Temp

(4) LANGLY Annealing Heat Treat Ovens, Electric, 550 Deg. Max. Temp.

J.R. GREENE Annealing Heat Treat Oven, Electric, s/n 900800, 775 Deg. Max. Temp.

MODERN INDUSTRIAL Vertical Annealing Heat Treat Oven, Gas, 1,200 Deg. Max. Temp.

BOLSTER Die Oven, 1,000 Deg. Max. Temp.

LOMBARD Die Oven, 1,025 Deg. Max. Temp.

GERREF ANNEALING HEAT TREAT OVEN, S/N 10203-195

POINTERS/SWAGING

FENN Rotary Pointer/Swager, Mdl. 3F, Max. Tube Size I-3/4", 4-Die

(2) FENN Rotary Pointer/Swagers, Mdl. 5F, Max. Tube Size 3-3/8", 4-Die

FENN Rotary Pointer/Swager, Mdl. 6F, Max. Tube Size 4-1/2", 4-Die

MATERIAL HANDLING

JLG 20' Scissor Lift, Mdl. 3220, s/n 606057

CROWN 8,000-Lb. Electric Pallet Lift, Mdl. PC3520-80

CROWN 4,000-Lb. Electric Pallet Lift, Mdl. 40GPW-4-14

A 12.5% BUYER'S PREMIUM APPLIES TO ALL ON-SITE PURCHASES





P&H 5-TON CAPACITY DOUBLE HOOK BRIDGE CRANE

CRANES

KONE 5-Ton Hoist and Trolley, Mod. CXT60220050T65, s/n HFY37091, New 2006

(3) CONCO 5-Ton Hoists and Trolleys, s/n 6658, 6656, 6938

DEMAG Double 3.5-Ton Hoist and Trolley, Mod. KMH100B28, s/n 41459878, 41459880

DEMAG Double 3.5-Ton Hoist, s/n 41459558, 41459879, w/5-ton trolley

(2) CHESTER 4-Ton Hoists, Mod. WDMT-3106-4, s/n WC1763, WC1762, w/(2) PTCO 4-ton trolleys, s/n 95C-2286-21, 95C-2286-22

DEMAG 5-Ton Hoist. s/n FG-**UO8UOHIFI**

DEMAG 5-Ton Hoist and Trolley, Mod. 67970800, s/n H1155646

CONCO 7.5-Ton Hoist, s/n 5671

DEMAG 3-Ton Hoist and Trolley

CHESTER 3-Ton Hoist, Mod. WDMT 3604, s/n WCI473, w/Cleveland tram rail 3-ton trolley, s/n T359464B

DEMAG I/2-Ton Hoist and Trolley, Mod. DKVN2-25VIF4

ELECTRO-LIFT 3-Ton Hoist, w/Cleveland 3-ton trolley, s/n 71-15169100

P&H MORRIS 5-Ton Hoist. s/n WC 1343 w/ PTCO trolley, s/n 92C-2047-21

HARRINGTON 5-Ton Hoist, Mod. ES3B-995, s/n 122418B and trolley

CHESTER 5-Ton Hoist, Mod. WDMT31063, s/n WC 1707, w/ PTCO 5-ton trolley

CHESTER 5-Ton Hoist, Mod. WDMT-3106, s/n WCI709, w/ PTCO 5-ton trolley, s/n 94V-2265-23

P&H Double 2.5-Ton Hoist. Mod. N22BEIIG. s/n TPI057I/TPI0573, w/ PTCO 5-ton trolley, s/n 94-2264-22

BUDGET 1-Ton Hoist, Mod. 1158841, s/n 80-3-9

INGERSOLL-RAND I-Ton Hoist, Mod. ML1000-K2C15-4, s/n SPN/11-06106-0140

DEMAG I/2-Ton Hoist, s/n DKUN2-250-KVIF4

BUDGET I/2-Ton Hoist

COFFING I-Ton Hoist. Mod. CAH2023, s/n 11336

CM I/2-Ton Hoist, s/n SS-2065-B-SHOPSTAR

ARO HOIST 300-Lb. Hoist, Mod. 7740-B-IC10-C6, s/n SP026-1124-99

(2) KONE I-Ton Hoists, Mod. XNI0, s/n E0504628, E0504741

HARRINGTON I-Ton Hoist, Mod. IB2-T, s/n 5KT00782

> THURSDAY **OCTOBER 4** ΔΤ 10:00 A.M. (EDT)

MISCELLANEOUS

FEDERAL PACIFIC 600 **BALDWIN TATE Emery** Amp 5kv Max. Switchgear

Material and Oven Rack

DEBURR Machine

Lift Tables

CLEARING 100 Ton Punch Press

Large Quantity of Electric Motors, I/3 to 100 HP, Roller Dies



FEDERAL PACIFIC 600-AMP. 5KV MAX. SWITCHGEAR



BLISS MACK-HEMP SPARE ROLLS



GAGE SETS

Tester

Micrometers; Calipers; **Gages; Pin Gage Sets BLH 20-Ton Tensile Tester**

Hydraulic Pumps



BALDWIN TATE EMERY TESTER



ELECTRIC MOTORS



HYDRAULIC PUMPS



MICROMETERS; CALIPERS; GAGES

NEGOTIATED SALE EQUIPMENT

2,000 Ton LOMBARD Aluminum Oil Hydraulic Extrusion Press, w/ Piercer 8" x 24" Billet, 8" x 28" Container Size, Full Loop, 4-Rod Construction, Die Slide Machine, Butt Shear, Run Out Table, Cooling Fans, Walking Beam, Ajax/Magnatherm Induction Type Billet Heater (5,000 Lbs./Hr.), Allen-**Bradley Controls**

2,000 Ton WEAN Aluminum Oil Hydraulic Extrusion Press, 7" Billet, 7" x 34" Container Size, Die Slide Machine, Butt Shear, Ajax/Magnatherm Induction Type Billet Heater (7,200 Lbs/Hr), Allen-Bradley Controls



2,000-TON LOMBARD ALUMINUM OIL HYDRAULIC EXTRUSION PRESS



2,000-TON WEAN ALUMINUM OIL HYDRAULIC EXTRUSION PRESS

TERMS OF SALE

NO WARRANTIES: Every item and lot in the "AUCTION" is sold: (a) "AS IS, WHERE IS AND WITHOUT RECOURSE," and (b) with no warranties, guarantees, or representation of any kind or variety, whether expressed, implied or otherwise.

Some items subject to prior sale and removal.

PAYMENT: May be made by cash, certified funds or company check with a confirming letter of guarantee from an acceptable issuing bank. SAMPLE BANK LETTER: This bank guarantees payment to Golndustry from (name of customer) on account #____ up to the amount of \$____. This letter is valid for purchases at the Hydro Aluminum North America sale, Thursday, October 4.

American Express, Visa, and MasterCard will be accepted for this sale. For complete Terms of Sale, visit our website at www.goindustry.com

BUYER'S PREMIUM: A buyer's premium of 12.5% will be added to the bid price for each lot if paying by cash, certified funds, or company check with a confirming letter of guarantee from an acceptable issuing bank. A buyer's premium of 15% will be added to the bid price for each lot if paying by credit card. An additional 2.5% is charged on all lots purchased via the GoWebcast Facility and is added to the final sale price.

For complete Terms of Sale, visit our website at www.goindustry.com

,

INSPECTION

Wednesday, October 3, from 10:00 A.M. to 4:00 P.M. (EDT), or by appointment.

REMOVAL

Small items must be removed by October 17. Appointments will be scheduled for larger items that require additional removal time, however all purchases MUST be removed no later than November 30. There will be no exceptions made.

AIRPORT & TRANSPORTATION Newark, Kennedy and La Guardia airports are approximately 100 miles.

CONTACT INFORMATION

For further information, contact Susie Springer (410) 654-7500, ext. 234, or email susiespringer@goindustry.com

S (#3 (3) Pine Bush 802 AUCTION W SITE 83 (13) 3 (10) (21) (1) (1) 0 (ITA) 513 800 1 AIRPORT 0 0 893

FINANCING YOUR AUCTION PURCHASE

Conserve Your Cash and Increase Your Bidding Power. AuctionLease Provides M&E Financing With Approvals from \$5,000 to \$999,000. (800) 438-1470 Apply Online: www.AuctionLease.com "Buy What Appreciates, Lease What Depreciates." - J. Paul Getty

Some items may be subject to prior sale.

DIRECTIONS FROM NYC

Merge onto I-87/ North/New York State Thruway North via the exit on the left toward Albany (Route 17 North) 14.7 miles. Merge onto New York 17 West, via Exit 16, toward Harriman, Route 17/US-6 (portions toll) 29.2 miles. Take Exit 114 toward Wurtsboro/Highview .1 mile. Turn left onto Bloomingburg Mountain Road/CR-171. Continue to follow CR-171 for 2 miles. Turn right onto US-209/Kingston Avenue. Continue to follow US-209 for 12.3 miles. Turn right onto Schrade Court. Schrade Court becomes Aluminum Drive.

MOTEL ACCOMMODATIONS

Holiday Inn Middletown 68 Crystal Run Road, Middletown	(845) 343-1474
Courtyard Middletown Wallkill 24 Crystal Run Road, Middletown	(845) 695-0606
Super 8 Middletown (www.super8.com) 563 Route 211 East, Middletown	(845) 692-5828

INFORMATION PROVIDED IS BELIEVED TO BE ACCURATE, BUT IS NOT GUARANTEED

COMPLETE ALUMINUM EXTRUSION FACILITY





NATIONAL MACHINERY EXCHANGE, INC.

FIRST CLASS MAIL

POSTMASTER: Dated Material. Please Deliver Promptly. Presorted First Class Mail U.S. Postage PAID Eugene, Oregon Permit No. 305

NORTH AMERICAN OFFICES ARIZONA, MARYLAND, MICHIGAN, NEW YORK, ILLINOIS, FLORIDA, CONNECTICUT, NEBRASKA, WASHINGTON, ONTARIO, ADDITIONAL OFFICES WORLDWIDE

EXECUTIVE OFFICES

11425 CRONHILL DRIVE, OWINGS MILLS, MARYLAND 21117 (410) 654-7500 • (800) 722-3334 • Fax (410) 654-5876 LOCAL SERVICE WITH GLOBAL REACH — OFFICES IN OVER 20 COUNTRIES



http://www.goindustry.com

e-mail: infoNA@goindustry.com

HYDRO ALUMINUM NORTH AMERICA THURSDAY, OCTOBER 4 AT 10:00 A.M. (EDT)