THURSDAY, AUGUS HUGE COLD HEADING & THREAD ROLLING FACILITY



3/8" National Model 56 Two-Die Three-Blow Multi-



11/32" Carlo Salvi Model RF/873/SV High Speed Tubular Rivet Single Die Cold Header



Multi-Die Cold Heade



5/16" Nakashimada Model PF-860 Two-Die Three-Blow Multi Die Cold Header



Thread Rolling Machine

Optical Sorting Machine

Bid Soler-com



SALE UNDER THE MANAGEMENT OF incinnati Industrial Auctioneers Inc. 2020 DUNLAP ST., CINCINNATI, OHIO 45214 PHONE (513) 241-9701 / FAX (513) 241-6760 INTERNET: cia-auction.com for printable brochures, catalog, terms and pre-bidding



THURSDAY, AUGUST STH





(2) 1/4" National Model 34 Two-Die Three-Blow Multi-Die Cold Headers



5/16" Sacma Model SP-21 High Speed LONG STROKE Single Die Cold Header



(2) 1/4" National Model 34 Two-Die Three-Blow Multi Die Cold Headers



(5) 1/8" Nakashimada Model PF-420 Two-Die Three-Blow Multi Die Cold Headers



(2) 1/4" Nakashimada Model PF-630 LONG STROKE Two-Die Three-Blow Multi Die Cold Headers



1/4" Sacma Model SP-11C High Speed Single Die Cold Header



3/8" National Model 56 Two-Die Three-Blow Multi-Die Cold Header

MULTI-DIE COLD HEADERS

1/2" National Three-Die Progressive Multi-Die Cold Header; 5" Max Die Kickout Length, 80 PPM, S/N 18324

3/8" Waterbury Farrel Model #3 Two-Die Four-Blow Multi-Die Cold Header; 3-7/8" Max Cut-Off Length, 3-1/4" Max Die Kickout, 100 PPM

3/8" National Model 56 Two-Die Three-Blow Multi-Die Cold Header; New 1979, 3" Max Cut-Off Length, 2-1/2" Max Kickout Length, 150 PPM, Equipped w/ PKO, Bushing Cut-Off, Die Relief, Stripper Mechanism, Trimming Capability, IAC Sound Encource, SAN 41308 SEE PHOTO

3/8" National Three-Die Progressive Multi-Die Cold Header; 3-1/2" Max Kickout Length, 90 PPM, Equipped w/ Stripper Mechanism, S/N 27423

5/16" Nakashimada Model PF-860 Two-Die Three-Blow Multi Die Cold Header; New 1976, 3.150" Max Cut-Off Length, 4-1/2" Max 1st Die Kickout, 2.363" Max 2nd Die Kickout, 50 - 120 PPM, Equipped w/ PKO, Fingerless Transfer, S/N 76073 **SEE PHOTO**

5/16" National Three-Die Progressive Multi-Die Cold Header; 3-1/8" Max Die Kickout Length, 100 PPM, Equipped w/ Stripper Mechanism, S/N 27195 (New 1972)

(2) 1/4" National Model 34 Two-Die Three-Blow Multi-Die Cold Headers; New 1973 & 1978, 2-5/8" Max Cut-Off Length, 2-1/4" Max Kickout Length, 200 PPM, Equipped w/ PKO, Bushing Cut-Off, Die Relief, Stripper Mechanism, (1) Machine w/ Trimming Capability, S/N 41648 & 41612 SEE PHOTO

(2) 1/4" Nakashimada Model PF-630 LONG STROKE Two-Die Three-Blow Multi Die Cold Headers; New 1981 & 1983, 2" Max Cut-Off Length, 3" 1st Kickout, 2" 2nd Die Kickout, 50 - 140 PPM, Equipped w/ PKO, Fingerless Transfer, S/Ns 810242 & 830792 SEE PHOTO

(4) 1/4" Nakashimada Model PF-630 Two-Die Three-Blow Multi Die Cold Headers; New 1976 - 1984, 1-1/2" Max Cut-Off Length, 2" 1st Die Kickout, 1-3/16" 2nd Die Kickout, 50 - 170 PPM, Equipped w/ PKO, Fingerless Transfer, S/Ns 830299, 840323, 760125, & 780146 (New as 1984) 3/16" National Two-Die Tubular Rivet Multi-Die Cold Header; 13/16" Max Cut-Off Length, 3/4" Max Shank Length, 140 PPM, Equipped w/ Stripper Mechanism, S/N 32084 SEE PHOTO 3/16" National Four-Die Progressive Multi Die Cold Header; 1-1/2" Max Kickout Length, 110 PPM, S/N 15887 SEE PHOTO (5) 1/8" Nakashimada Model PF-420 Two-Die Three-Blow Multi Die Cold Headers; New 1977 - 1985, 1" Max Cut-Off Length, 2" Ist Die Kickout, .788 2nd Die Kickout, 80 - 200 PPM, Equipped w/ PKO, Fingerless Transfer, S/N's 770019, 78035, 78031, 770020, & SEE PHOTO

SINGLE DIE COLD HEADERS

11/32" Carlo Salvi Model RF/873/SV High Speed Tubular Rivet Single Die Cold Header; New 1979, 4-17/32" Max Cut-Off Length, 3-5/32" Max Shank Length, 230 PPM, S/N 1199/79 SEE PHOTO

5/16" Sacma Model SP-21 High Speed LONG STROKE Single Die Cold Header; New 1972, 4-1/8" Max Cut-Off Length, 3-3/16" Max Shank Length, 200 PPM, S/N 37AC21 SEE PHOTO

(5) 5/16" Waterbury Farrel "Hipro" Single Die Cold Headers; 2-5/8" Max Cut-Off Length, 1-1/2" Max Shank Length, 175 PPM, S/Ns 22442 & 221604 Recently Rebuilt By Waterbury, Öther S/Ns 10794, 51909, & 123123 SEE PHOTO

1/4" Nakashimada Model H-20F LONG STROKE Single Die Cold Header; New 1976, 5-5/16" Max Cut-Off Length, 4" Max Kickout Length, 100 PPM, Equipped w/ PKO, S/N 76502

1/4" Sacma Model SP-11C High Speed Single Die Cold Header; New 1974, 2-3/16" Max Cut-Off Length, 1-3/8" Max Shank Length, 325 PPM, S/N 41AG1 SEE PHOTO

1/4" Waterbury Farrel "Waterbury" LONG STROKE Single Die Cold Header; 4" Max Shank Length, 3" Max Shank Length, 150 PPM, S/N 171534

(2) 1/4" Carlo Salvi Model RF/635/SV High Speed Tubular Rivet Single Die Cold Headers; New 1976 & 1985, 3-7/16" Max Cut-Off Length, 2-9/16" Max Shank Length, 320 PPM, S/NS 386/76 & 1695 SEE PHOTO



- All Internet bidders must register for this auction at www.bidspotter.com at least 48-Hours Prior to the Sale Date, *if you do not you will not be approved.*
- All Internet bidders must Post a Deposit of Approx. 25% of Your Planned Spending Budget with Cincinnati Industrial Auctioneers in Order to be approved to Bid. Those who do Not Post the Deposit Will Not be Approved. **Period.**
- Only Major Items Will be Available for Online Bidding. Please refer to the Listing on www.bidspotter.com for Available Online Items.



- There is a 15% Buyer's Premium in Effect for All Online Purchases.
- We Highly Recommend that Potential Buyers Attend this Auction & Bid Live Onsite. This will give you the Ability to Inspect the Items & Fully Appreciate Their Condition, Along with Saving You 3% of the Buyer's Premium.

No Last Minute Registrations will be accepted. Make Sure to Register & Post Your Deposit No Later than 48-Hours Prior to the Start of the Auction.



IDEAL PRODUCTS, INC.





11/32" Carlo Salvi Model RF/873/SV High Speed Tubular Rivet Single Die Cold Header

(5) 3/16" National Tubular Rivet Headers Single Die Cold

Headers; (New as 1972), 1" Max Shank Length, 225 PPM, Equipped w/ Bushing Cut-Off, Stripper Mechanism on Some, Some Machines Were Set Up to Run Solid Parts & Some Set Up for Tubular Parts, S/Ns 36201, 36652, 36133, 36204, & 36662

(3) 3/16" Carlo Salvi Model RF/476/SV High Speed Tubular Rivet Single Die Cold Headers; New 1979 - 1985, 2-3/8" Max Cut-Off Length, 1-3/8" Max Shank Length, 450 PPM, S/Ns 1665, 1208/79, & 1696 (New as 1985) SEE PHOTO

3/16" National High Speed Single Die Cold Header; 3/4" Max Shank Length, 300 PPM, Equipped w/ Bushing Cut-Off, S/N 36105 SEE PHOTO

(2) 3/16" Hartford Model 3-350 High Speed Single Die Cold Headers; 2" Max Cut-Off Length, 1-1/4" Max Shank Length, 350 PPM, S/Ns 5300-282-17A & 5300-161-7

3/16" Waterbury Farrel "Waterbury" LONG STROKE Single Die Cold Header; 3-1/4" Max Cut-Off Length, 2-1/2" Max Shank Length, 175 PPM, S/N 123303

(7) 3/16" Waterbury Farrel "Hipro" Single Die Cold Headers; 1-1/2" Max Cut-Off Length, 1" Max Shank Length, 225 PPM, S/Ns 86288, 23264, 123910, 123916, 123125, 123916, & 86282

(5) 1/8" Carlo Salvi Model RF/SV High Speed Tubular Rivet Single Die Cold Headers; New 1979 - 1981, 1-7/16" Max Cut-Off Length, 1" Max Shank Length, 550 PPM, S/N's NA, 122179, 1320, 2030, & 93768 (New as 1981) SEE PHOTO

5/32" Carlo Salvi Model RF/PL High Speed Tubular Rivet Single Die Cold Header; New 1977, 1-3/4" Max Cut-Off Length, 1-1/4" Max Shank Length, 300 PPM, S/N 1065/77 SEE PHOTO

(2) 1/8" Carlo Salvi Model RF/DL-330-SV High Speed Tubular Rivet Single Die Cold Headers; 1-3/4" Max Cut-Off Length, 1-1/4" Max Shank Length, 660 PPM, S/NS 1636 & 1632

WIRE DRAWERS

(2) 1/2" Fastener Engineering Model DTM-02-20 Wire Drawers; w/ 20" Capstans, New 1977, & 1984, S/Ns 6772875 & 10845917

(2) 3/8" RMG Model 67 Wire Drawers; w/ 28" Capstans, New 1980 & 1997, S/N's 804197 & 97104289

3/8" Fastener Engineering Model DTM-05-28 Wire Drawer; w/ 28" Capstan, New 1979, S/N 4794561

(2) 5/16" RMG Model 56 Wire Drawers; w/ 24" Capstans, New 1996 & New 2001, S/N's 96073892 & 01261

5/16" Fastener Engineering Model DTM-05-24 Wire Drawer; w/ 24" Capstan, New 1980, S/N 11805052

(7) 1/4" RMG Model 45 Wire Drawers; w/ 20" Capstans, (1) New 1997, (3) New 1996, (1) New 1993, (1) New 1985 & (1) New 1970, S/Ns 96103899, 97094288, 85041324, 709108, 96093896, 96093897, & 93012971 (New as 1997)

(2) 1/4" Fastener Engineering Model DK-02-20 Wire Drawers; w/ 20" Capstans, New 1974 & 1975, S/N 5742080 & 1752635

(2) 1/4" Fastener Engineering Model DTHA-02-20 Wire Drawers; w/ 20" Capstans, New 1989 5/Ns 9896446 & 9896447

1/4" Fastener Engineering Model DTM-03-20 Wire Drawer; w/ 20" Capstan, New 1976, S/N 12762829

 (17) 3/16" RMG Model 34 Wire Drawers; w/ 20" Capstans, New 1984 - 1990, S/N's 85011286, 85031304, 85031300, 89042186, 84111229, 85031287, 710138, 84011027, 84081156, 90062486, 89112367, 90062487, 8304942, 90062485, 84081157, 201752, & 85011285 (New as 1990)

(2) 3/16" RMG Model 23 Wire Drawers; w/ 16" Capstans, New 1985, S/N's 85061366 & 85031288

(2) 3/16" Fastener Engineering Model WR-01-16 Wire Drawers; w/ 16" Capstans, New 1976 & 1977, S/Ns 7762426 & 12772482



(2) 1/4" Carlo Salvi Model RF/635/SV High Speed Tubular Rivet Single Die Cold Headers



(3) 3/16" Carlo Salvi Model RF/476/SV High Speed Tubular Rivet Single Die Cold Headers



(3) 3/16" Carlo Salvi Model RF/476/SV High Speed Tubular Rivet Single Die Cold Headers



(5) 5/16" Waterbury Farrel "Hipro" Single Die Cold Headers



3/16" National Four-Die Progressive Multi Die Cold Header



3/16" National High Speed Single Die Cold Header



5/32" Carlo Salvi Model RF/PL High Speed Tubular Rivet Single Die Cold Header



(5) 1/8" Carlo Salvi Model RF/SV High Speed Tubular Rivet Single Die Cold Headers



(5) 1/8" Carlo Salvi Model RF/SV High Speed Tubular Rivet Single Die Cold Headers



THURSDAY, AUGUST STH





Close Up View (1 of 30) Late-Model RMG Wire Drawers To 3/8" Capacity

THREAD ROLLING MACHINES

1/2" Waterbury Farrel Model #30 Inclined Mid Frame Thread Rolling Machine; 4" Thread & Shank Length, 60 PPM, Equipped w/ Vibe Feeder, S/N 14009 SEE PHOTO

1/2" Waterbury Farrel Model #30 Inclined Pedestal Frame Thread Rolling Machine; 4" Thread & Shank Length, 60 PPM, Equipped w/ Vibe Feeder, S/N 33979

1/2" Hartford Model 20-225 High Speed Thread Rolling Machine; 4" Max Blank Length, 3" Max Thread Length, 225 PPM, Equipped w/ Vibe Feeder, S/N 2-104-2

3/8" Hartford Model 10-400 High Speed Thread Rolling Machine; 4" Max Blank Length, 2-1/2" Max Thread Length, 400 SEE PHOTO PPM, Equipped w/ Vibe Feeder, S/N 35-600-26 5/16" Hartford Model 10-300 High Speed Thread Rolling

Machine; 4" Max Blank Length, 3" Max Thread Length, 300 PPM, Equipped w/ Vibe Feeder, S/N 3-114-2 SEE PHOTO

3/16" Hartford Model 190 Thread Rolling Machine; 1-3/4" Max Blank Length, 1-1/2" Max Thread Length, 175 PPM, Equipped w/ Vibe Feeder, S/N N/A SEE PHOTO

(4) 3/16" Hartford Model 0-400 High Speed Thread Rolling Machines; 3" Max Blank Length, 2-1/2" Max Thread Length, 400 PPM, Equipped w/ Vibe Feeders, S/N's 4-816-57, 4-821-58, 4-642-46, & 4-825-58 SEE PHOTO

(8) 3/16" Hartford Model 0-500 High Speed Thread **Rolling Machines;** 3" Max Blank Length, 2-1/2" Max Thread Length, 500 PPM, (7) Equipped w/ Vibe Feeders, (1) Has No Feeder, S/N's 33-372-24, 33-273-10, 33-194-7, 33-130-25, 33-382-25, 33-SEE PHOTO 219-9, 33-284-16, & 33-358-23

(5) 1/4" Waterbury Farrel Model #10 Inclined Heavy Frame Thread Rolling Machines; 2" Max Thread & Blank Length, 150 PPM, All Equipped w/ Vibe Feeders, S/N's 221318, 123129, 223798, 76270, & 86306

(5) 5/32" Waterbury Farrel Model #0 Inclined Heavy Frame Thread Rolling Machines; 1-1/2 Max Thread & Shank Length, 175 PPM, (4) Machines w/ Vibe Feeders, (1) Machine w/ Rotary Feeder, S/N's 123302, 221985, N/A, 220243, & 221985-2264

5/32" Waterbury Farrel Model #0 Inclined Mid Frame Thread Rolling Machine; 1-1/2" Max Thread & Shank Length, 175 PPM, Vibe Feeder, S/N 25135

SLOTTERS

1/4" ITW Model 322 Shank Type Slotter; 2" Max Shank Length, 60 PPM

5/16" Warren Model WS-1000VB High Speed Slotter; 2" Max Blank Length, 600 PPM, Equipped w/ Vibe Feeder, S/N 0678283 (New 1978)

(2) 1/8" Warren Model WS-500 High Speed Slotters; 1-1/4" Max Blank Length, 1000 PPM, Equipped w/ Vibe Feeders, S/N's B047436 & 127213



5/16" Hartford Model 10-300 High Speed Thread Rolling

0-400 High Speed Thread



(8) 3/16" Hartford Model 0-500 High Speed Thread **Rolling Machines**



1/2" Waterbury Farrel Model #30 Inclined Mid Frame Thread **Rolling Machine**



3/8" Hartford Model 10-400 High Speed Thread Rolling Machine





Frame Thread Rolling Machines



Warren Model WL-1000 Incline Loading Conveyor



3/16" Hartford Model 190 Thread Rolling Machine





Jensen Model 8413 Gas Fired Three-Stage Rotary **Drum Parts Washer**

Rolling Machines WIRE BUTT WELDERS & WIRE HEATERS 50 Amp Micro Products Model T Wire Butt Welder; S/N

14802, .125-.625 Cap 3/8" Norling Model 1980 Wire Heater; 3 KVA, S/N 393

5/16" Norling Model 10HS Wire Heater; 10 KVA, S/N 233

OPTICAL SORTING & PARTS HANDLING EQUIPMENT

Automation Associates / Pace Model 500 Optical Sorting Machine; S/N 282J, 130 to 1300 Parts Per Minute Sorting Rate, 1/8" X 1/2" Shank Dia., 3/8" X 4" Shank Length, 3/16" X 1-1/4" Head Dia., 1/16" X 1/2" Head Height, 24" Dia. Vibratory Feeder, Vibratory Track Parts Counting Consol (New 1997) SEE PHOTO

36" Warren Roll Sorter; S/N 069324 w/ Warren Vibratory Hopper Feeder, S/N 06981835 (New 1998)

Warren Model WL-1000 Incline Loading Conveyor; S/N 079178 & 0791721 **SEE PHOTO**

(4) Shop Built Parts Sorting / Inspection Stations Consisting Of; Vibratory Bowl Feeds, Roll Sorters, Loading Conveyors, Dial Feeder and Sony Cameras

(5) 750 Lb Hercules Model HT-118 Low Level Hydraulic **Barrel Dumpers**

(6) Assorted Steel Belt Incline Conveyors From 4" X 12" Wide

DRILLING & TAPPING MACHINES

(2) Universal Automatic Model AD Horizontal Double Opposed Drilling & Tapping Machines; 3/8" Cap. Drilling, 1/2" Cap. Tapping, 2-1/2" Spindle Travel, Equipped w/ Vibe Feeders, S/N's 1232 & 1024

Universal Automatic Model AD Horizontal Double Fixture Drilling & Tapping Machines; 3/8" Cap. Drilling, 1/2" Cap. Tapping, 2-1/2" Spindle Travel, Equipped w/ (2) Vibe Feeders, S/N 1816

(3) Universal Automatic Model AS Single Spindle (b) Control Drilling & Tapping Machine, 3/8" Cap. Drilling, 1/2" Cap Tapping, 2-1/2" Spindle Travel, Equipped w/ Vibe Feeders, S/NS 2011, 2417, & 2505

PARTS WASHING EQUIPMENT

Jensen Model 8413 Gas Fired Three-Stage Rotary Drum Parts Washer; S/N 422041, 24" Diameter Drum, 25 Ft. Overall SEE PHOTO Length, Electric Tank Heaters

Parts Loading System Consisting of; 16" Wide Eriez Magnetics Model 65B Vibratory Shaker In-Feed Conveyor, Elevated Parts Holding Hopper, Hercules Barrel Dumper

Atotech Electric Parts Spin Dryer; Indeeco Electric Duct Heater, 18" Deep X 24" Dia. Basket SEE PHOTO Desco Electrics Parts Spin Dryer; 18" Deep X 18" Dia. Basket

McKenzie Electric Floor Type Chip Separator; S/N E626



THURSDAY, AUGUST STH





Bank View Clark LP Gas Lift Trucks

LATHES – ALL TYPES

16" X 60" Leblond Geared Head Engine Lathe; S/N 9C-321, 45-1800 RPM, 8" 6-Jaw Chuck, Face Plate, Steady Rest 1-1/2" Spindle Hole SEE PHOTO

(2) Hardinge Model TFB-H Toolroom Lathes; S/N HLV-H-7893-1, 125 - 3000 RPM 5C Collet Chucks, Automatic Carriage Feeds, Tailstocks SEE PHOTO

(2) Hardinge Model DV-59 Toolroom Lathes; S/Ns DV-59-00039 & DV-59-14618, 230 - 3500 RPM, 5C Collet Chucks, Tailstocks

GRINDERS & SANDERS

Millport Model 618 Surface Grinder; S/N 2B-4160, Dedtru Grinding Attachment

6" X 18" Harig Model Super 618 Surface Grinder, 6" X 18" SEE PHOTO Permanent Magnetic Chuck, Coolant System

6" X 18" Brown & Sharpe Surface Grinder; S/N 523-6181-1122, 6" X 18" Permanent Magnetic Chuck, Coolant System

6" X 12" DoAll Model DH 612 Hand Feed Surface Grinder; S/N 138-651808, 6" X 12" Ceramax Permanent Magnetic Chuck

6" X 12" Brown & Sharpe Model 612 Micromaster Hand Feed Surface Grinder, S/N N/A, 6" X 12" Walker Permanent Magnetic Chuck 6" X 12" Boyar Schultz model Six Twelve Deluxe Hand Feed Surface Grinder: S/N 4754-11

6" Powermatic High Speed Belt Sander

6" Belt / 12" Disc Enco Combination Sander; S/N 58435, 1 HP (6) Assorted Double End Pedestal Grinders and Buffing Machines

MISC. TOOLROOM MACHINERY 5 HP Compu Machine Model Compu Mill 2500 CNC Vertical Milling Machine; S/N 150022, Dynapath Delta 20 CNC Control, 40 Taper Spindle

1 HP Bridgeport 8-Speed Vertical Mill; S/N 102665, 2 Axis Dro, PTF, 9" X 36" Table, Kurt Power Draw Bar 1 HP Bridgeport 8-Speed Vertical Mill; S/N 165831, PTF, 9" X 42"

16" DoAll Model 16-2 Vertical Band Saw; S/N 123-59189, 24" X 24" Tilting Table

20" Rockwell Model 70-6X0 Single Spindle Floor Drill; S/N 1536536, 15" X 18" Worktable

Large Quantity Machine Accessories & Perishable Tooling

Consisting of; Dumore Tool Post Grinders, R8 and 5C Collets, Collet Spin Fixtures, Kurt and Bridgeport Mill Vises, Drill Chucks, H.S. Drills, Taps, Carbide End Mills, Reamers and Other Related Items

MISC. MACHINERY

(2) 50 HP AAF Model Fabri-Pulse Dust Collection Systems; S/N 79-1818, N/A w/ Barry Size 626 Far Unit SEE PHOTO

36" X 36" Uni-Hone Abrasive Blast Cabinet; S/N 36/127-4258, 160 PSI Nozzle Pressure Regulator

33 KW Sentry Model AY / Size 5 Electric Furnace; S/N A65912, 2500 Degree Fahrenheit Max Temp, Partlow 1400 Digital Tem Control, 20" Deep X 10" Wide X 8" High Chamber

(2) Johnson Model 142-5 Natural Gas Fired Bench Type Furnaces; S/N 666 & 2098-T



Dust Collection Systems



250 Amp Miller Dialarc HP Tig Welder w/ Miller Radiator

(2) 5,000 Lb Floor Type Digital Platform Scales (2) Cecor Pneumatic Sump Clear / Filter Systems Dayton Exertive Hot Water Steam Cleaner 10,000 Gal. Steel Double Walled Storage Tank; 10' Dia X 25' Long, Monitoring Gages

INSPECTION EOUIPMENT

14" Jones & Lamson Model PC-14A Optical Comparator; S/N C5211.38, Decimetric II Dro, 5" X 30" Table, 31.25X Lens 14" Deltronic Model DH-14 Bench Type Optical Comparator; S/N A4801211, 5" X 15" T-Slotted Table, Deltronic MPC-1 Dro, 20X Lens SEE PHOTO

(3) Wilson Rockwell Hardness Testers; Model 3-JS, S/N 2281, Model 3JR-0, S/N 4546, and Model J/OUS, S/N 58

WC Dillon Model LW Tensile Tester; S/N 6283, 2,000 Lb Capacity Large Quantity Inspection Tools Consisting of; Concentricity Gages, Bausch & Lamb Microscopes, Pin Gages Indexes, O.D. & I.D. Micrometers, Depth Gages, Dial Indicators and Many Other Related Items

LIFT TRUCKS & RELATED

5,000 Lb Clark Model GCX25 LP Gas Cushion Tire Lift Truck; S/N GXZ230-0423-0985 KOF, 3-Stage Mast, 205" Lift Height

2,000 Lb Clark Model C500-200 LP Gas Cushion Tire Lift Truck; S/N 235-0595-6155, 2-Stage Mast, 128" Lift Height

3,000 Lb Caterpillar Model EP18T Sit Down Electric Lift Truck; S/N 6MM00779, 3-Stage Mast, 191" Lift Height, Side Shift, Complete w/ 36V Charger

3,000 Lb Caterpillar Model MC30 Sit Down Electric Lift Truck; S/N 41W03827, 130" Lift Height, Side Shift, Complete w/ 36 V Changer

5,000 Lb Caterpillar Model M50B Electric Lift Truck; S/N 35Y00325, 2-Stage Mast, 36 Volt

3,000 Lb Toyota Model 2FBCA15 Electric Lift Truck; S/N 11546, 2-Stage Mast, 185" Lift Height, 36 Volt

SHOP EOUIPMENT

Huge Quantity Of Late Model Ultra Clean Shop Equipment Consisting OF; (20) Stanley Vidmar Tooling Cabinets - Loaded w/ Header Tooling and Perishable Tooling, (10) Self Dumping, Hoppers, Steel Cabinets and Shelving, (30) Sections 48" X 96" Adjustable Beam Pallet Racking, Portable Shop Ladder, Hydraulic Pallet Trucks and Many Other Related Items

OFFICE EOUIPMENT AND FURNITURE

Large Quantity Computer / Office Equipment & Furniture Consisting of; Xerox Model 250 Blueprint Copier, (12) Dell Desk Top PC Systems, 8-Person Hayworth Modular Office System w/ Cabinets, Overhead Laterals, Lights and Letter Files, (50) 4 and 5 Drawer Letter Files, 2-Door Storage Cabinets, D.P. Desks, Executive Desk Sets w/ Bookcases and Credenzas, Office Tables, Reception Furniture, 4-Drawer Lateral Files, Office Chairs, Folding Tables and Many Other Related Items



Spin Drvei



6" X 18" Harig Model Super 618 Surface Grinder



Partial View Late Model Office Ouipment



Partial View Electric Lift Trucks







(2) Hardinge Model TFB-H Toolroom Lathes



14" Deltronic Model DH-14 Bench Type Optical Comparator

250 Amp Lincoln Arc Welder

Manufacturer Unknown 4-Form Water Chiller





PLANT CLOSED

220D 158 Pinesbridge Road

Beacon Falls, Connecticut 06403 15 Miles South of Waterbury – 40 Miles Southwest of Hartford

IMPORTANT NOTICE:

Although information has been obtained from sources deemed reliable, the auctioneer makes no warranty or guarantee, expressed or implied, as to the accuracy of the information herein contained. It is for this reason that buyers should avail themselves of the opportuni-ty to make inspection prior to the sale. This brochure is intended to provide general information of the equip-ment being offered and is subject to errors, omissions, additions or deletions. Please check with the Auctioneer's Office for a final listing. Items offered may or may not necessarily be sold as described and/or photographed in this brochure. this brochure.

MAIL BIDS ACCEPTED WITH A 25% DEPOSIT

SALE UNDER THE MANAGEMENT OF

DIRECTIONS

From Downtown Hartford Proceed West on I-84 Approx. 30 Miles to Exit No. 19 Rt. 8, Proceed South on Rt. 8 Approx. 8 Miles to Exit No. 24 Rt. 42, At Bottom of Ramp Go Right on Rt. 42 / Pinesbridge Rd. and Proceed Approx. 2 Miles to Sale Site on Right. Watch For Auction Signs.

AUCTIONEERS

Jeffrey L. Luggen Frank J. Rome John F. Rome Jeffrey M. Luggen - Apprentice Auctioneer Joseph M. Luggen - Apprentice Auctioneer



TERMS OF SALE

All equipment described herein will be sold "as is", "where is" to the highest bidder or bidders for cash in accordance with our regular terms and conditions of sale. Unless other satisfactory arrangements are made, a 25% deposit in cash, certified or cashier's check payable to Cincinnati Industrial Auctioneers, Inc., is required on all purchases. Firm and personal checks accepted only if accompanied by a letter from your bank guaranteeing your funds. All sales are subject to state and/or local taxes unless a signed exemption form is presented at the time of purchase. All balances are due at the conclusion of the sale. No merchandise may be removed while the sale is in progress. All bidders must comply with our Standard Terms of Sale, copies of which will be available at the sale site or can be obtained from our website.

12% ON-SITE BUYER'S PREMIUM 15% ON-LINE BUYER'S PREMIUM

ncinnati Industrial Auctioneers Inc. 2020 DUNLAP ST., CINCINNATI, OHIO 45214 PHONE (513) 241-9701 / FAX (513) 241-6760 INTERNET: cia-auction.com for printable brochures, catalog, terms and pre-bidding

ruo ani